


Come Home to Nicolock!

Nicolock pavers have a full, structural lifetime warranty* and are transferable to the next owner should you sell. Register your products in 3 easy steps!



LIFETIME WARRANTY*

Nicolock provides a limited lifetime warranty on the structural integrity of its manufactured product used in residential applications. Nicolock pavers are warrantied for as long as you own your home and are transferable to the next owner should you sell. Nicolock products installed in accordance with our guidelines and industry standards that are deemed to be structurally defective will be replaced with product of equal value. Removal and replacement labor cost is not the responsibility of Nicolock. Regarding de-Icing products, Nicolock recommends sand for slip resistance as it is the most environmentally friendly product for use on concrete products to make sure surfaces are skid and slip resistant. If a de-icing product is used, Nicolock recommends using only NaCl (rock salt) and should be used sparingly, following the manufacturer's instructions. Once ice is loosened, remove immediately to avoid buildup of the de-icing agent. De-icing agents of any kind are not recommended for our Nicostone line.

Color matching and product availability are not guaranteed. Proof of purchase and/or installation contract must be made available prior to or at the time of inspection by an authorized Nicolock representative. Other exclusions apply.

Nicolock / Nicolia Concrete Products is the owner or authorized user of all patents and trademarks for products and designs illustrated herein. Firma®, Checker Block®, Sante-Euro® & paver-shield® are examples of registered trademarks of Nicolia Concrete Products. SF-Rima® is a trademark of SF Concrete Technology, Inc. Trinity® is a trademark of Earth Reinforcement Technologies. • US Patent # : Firma® 6,082,933.

TO REGISTER YOUR NICOLOCK PRODUCTS, VISIT US ONLINE AT NICOLOCK.COM

TABLE OF CONTENTS

WHY NICOLOCK

Welcome	4
paver- shield™	5
NEW! Graphite Pearl Blend	7
Designing with	
Inlays and Borders	36
Predesigned Packages	.40



PAVER-SHIELD™ PAVERS	
Stone Ridge Collection	-
Rustico Series50	1
Blue Ridge53	
Alpine Series54	-
Ridge Brick58	
Colonial Cobble 59	i
Holland Stone 60	1
NEW! Diamond Paver61	
Plank Paver 62	
Roma I & II 64	-
The Montauk 64	-
Heritage Slab65)
Fiuggi Travertine	
Cobblestone67	



TOSCANA / TUMBLED

Country 6x6 & 6x9	
Country 4pc Combo	68
Pompeii	69
Olde Towne Combo & 1/2	
	C.

CIRCLES AND INLAYS

Ridge Circle72
Country Circle
Sante-Euro [®] Circle74
Rustico Circle75
Old Town Flagstone Circle76
Wetherdale Circle
Old Town Flagstone Quartered
Square Patio Pack77
Old Vienna w/ paver- shield ™78
Belgium Cobble
Edgestone




Eco-Ridge	81
SF-Rima [®]	81
Checker Block [®]	
Turfstone	82
Eco-Tre	83

NICOSTONE PAVERS

Grand Flagstone	86
Versailles Travertine	87
Old Town Flagstone Patio Pack	88
Wetherdale Patio Pack	88
Thermal Finish Flagstone	89
Natural Cleft Flagstone	89





WALL SYSTEMS

Landscape Walls9	2
Belvedere Wall	3
Mini Colonial Wall9	4
6" Colonial Wall9	4
5" Colonial Wall9	5
Verona Wall9	
Stonegate [®] Contemporary Wall9	
Claremont Wall	
Kodah Wall9	9
Retaining Walls10	
Outcropping10	
Firma® Wall 10	
Everloc [™] 810 Express10	
Alta Wall	
Alta Pro Wall 10	
Trinity [®] Wall 10	
Keystone [®] Compac III	
Straight Split10	5
Garden Walls10	
Mountain Block10	
Sierra Wall 10	
Serafina Wall10	
NEW! Garden Wall10	

NATURAL STONE VENEERS



PIERS, COPING, CAPS AND STEPS

Mini Colonial Pier Kit	112
5" Colonial Pier Kit	112
Verona Pier Kit	112
Stonegate [®] Contemporary Pier.	.113
Nantucket Pre -Built Pier Kit	.113
Pier Caps	113
Corners	. 113
Belvedere Pier and Cap	114
Claremont Pier and Cap	114
Kodah Pier and Cap	114
NEW! Linear Cap	. 112
Multi Cap	115
Dimensional Coping	
Colonial Cap	115
Rockface Multi Cap	116

Belvedere Coping	116
Old Town Coping	
Versailles Coping	
6x12 Fullnose	118
4x12, 8x12 Fullnose	
Rockface Treads	120
Irregular Steps	
Thermal and Fullnose Treads	
Rockface Steps	122
Roma Step	
Stepping Stones	
Log Sleepers	
	308



OUTDOOR LIVING

Serafina Fire Pit Packages	124
Belvedere Fire Pit Packages	126
Verona Fire Pit Packages	127
Ovation Fire Pit Packages	128
Encore Fire Pit Packages	129
NEW! SG Linear Fire Pit	130
NEW! SG Grande Fire Pit	130
NEW! SG Grande Fire Pit	130
NEW! Triumph Fire Pit	130
Breeo Smoke-less	132
Fire Accessories	133
Verona Fireplace	134
Mini Verona Fireplace	135
NEW! Verona Jr Fireplace	135
Kalea Bay Fireplace	135

OUTDOOR DINING

Verona Kitchen 1	38
Verona Wood Fired Oven 1	38
Verona Grill Island 1	39
Verona Grill Island Deluxe 1	39
NEW! Alturi Kitchen Package 1	40
NEW! TRL Kitchen Package 1	
NEW! Sizzler Kitchen Package 1	40
Nantucket Kitchen Island 1	41
Pergola1	42
Outdoor Dining Accessories 1	43
	12



PRODUCT SPECIFICATIONS

Nicolock Color Swatches	144
Color Chart	
Paver Installation	156
Retaining Wall Installation	158
Stain Removal	
FAQ	
Patterns	163

nicolock.com | Discover Outdoor Living 3

WELCOME



FROM THE NICOLOCK FAMILY

Roberto Nicolia CEO/President, Nicolock Paving Stones

WELCOME TO NICOLOCK

For more than 60 years Nicolock has been trusted to help homeowners and contractors like you in achieving their perfect home project. From technological advances such as our **paver-shield**[™] technology, to our advanced color blending technique, Nicolock continues to lead the way in the production and supply of quality concrete products and outdoor living solutions. We are proud to say that we are 100% U.S. owned and operated.

Using select materials, our rigorous attention to qualitycontrol during the entire manufacturing process guarantees product consistency and allows us to offer you a lifetime warranty on our products.

We know and trust that you will love your Nicolock products. We are excited to introduce new and innovative products this year while continuing to bring you our superior line of pavers, wall systems and outdoor living lines.

THE PAVER-SHIELD $^{\rm M}$ DIFFERENCE

Nicolock's patented **paver-shield**[™] manufacturing process delivers a paver surface that is tight and dense, not coarse and grainy like other products.

More importantly, **paver-shield**[™] ensures that the aggregate needed to give the paver its strength is never exposed, giving you years of "it looks like new" enjoyment. All Nicolock pavers have color from top to bottom, ensuring a lifetime of beauty and protection. Iron oxide pigments are guaranteed not to fade.

A COLOR FOR EVERY HOME

Need inspiration for that elegant front entry or backyard paradise? Just take a look at Nicolock pavers and wall systems. We have more rich colors than anyone in the industry. Our products are warm and vibrant the moment they arrive at your home and will stay looking that way year after year.

Our superior color blending means that your finished project will have variegated tones, not defined blotches here and there. We minimize the risk for a bad installation with our proprietary manufacturing technology and unmatched color blending. Unlike some of our competitors, our color extends through the entire paver, not just the surface layer, ensuring the most vibrant color available in the market!

We are committed to bringing you the best quality products so that you and your family can enjoy a lifetime of memories.

With almost 1,000 different combinations of shape, color and texture, Nicolock has the broadest selection of products in the industry to satisfy every hardscape need. We stay ahead of the field by continuously introducing new, trendsetting products to our customers. By following design trends both here and overseas, we're able to maintain our position as a market leader. We have such high confidence in the quality of our products that we back them up with a transferable limited lifetime guarantee.

A LIFETIME OF INNOVATION

We've invested millions in the most technologically advanced manufacturing equipment available to produce hardscape products that exceed the standards of the industry and those of the most discriminating buyer. Our commitment to innovation is evident not only in our rigorous attention to quality but also in the expansion of our product lines. From kitchens to fire features you will find multiple options to create a space that is uniquely yours.

ENVIRONMENTALLY FRIENDLY

We manufacture several variations of eco-friendly paving products, allowing storm water to percolate back into the soil. And since all of our hardscaping products are made from natural materials, they can be recycled at the end of their very long life like glass, metal, and plastic.

WE'RE LOCAL

Nicolock facilities, retailers and contractors cover the Mid-Atlantic and Northeast regions of the United States and are always "close to home." We have manufacturing facilities in Long Island, New Jersey, Maryland and Connecticut, as well as, strategically placed distribution centers. We pride ourselves on our responsive service, terrific product availability and superior on-time delivery.

PROFESSIONALS YOU CAN TRUST

Nicolock Hardscape Pro Contractors have been pre-screened to make sure that the best products get the best installation. Locate one through our on-line locator at nicolock.com. Our sales representatives are industry certified and experts in the field of hardscaping. They serve as technical advisors to all of our customers, including retailers, contractors, design professionals and homeowners.





Nicolock sources the highest class of raw materials in the industry to give each paver the very best in quality and consistency. Our patented process features a smooth, ultra-dense surface and rich vibrant color guaranteed not to fade.



Our unique, state-of-the-art manufacturing process ensures that all of our quality materials are precisely measured out to create a consistent, extremely durable base mix which is the foundation of every Nicolock paver.



During this process, iron oxide bonds with cement molecules resulting in the most vibrant color seen throughout each paver.



Once our base mix is created, ultra-fine sand, Portland cement and additional color come together to create our paver-**shield**[™] technology.



The result is a tight, smooth surface texture, combined superior color, strength and beauty that will last for generations!

SEE THE PAVER-**SHIELD™** DIFFERENCE


paver-**shield**[™] Technology Tight, smooth surface texture that is built into the paver. Ultra dense base mix featuring color throughout the paver ensuring a lifetime of beauty that stands up to harsh weather.

FOLLOW US.

Follow Nicolock on social media for great ideas. See what others are doing with their Nicolock!

SHARE.

Post your project on Facebook and tag us! Pin us on Pinterest. Subscribe to our YouTube channel. Upload to Instagram: **#Nicolock, #Nicolockpavers** or **#Nicolockpavingstones**



HOMEOWNERS & CONTRACTORS...Show us your NICOLOCK.


Visit us at NICOLOCK.COM. Scroll to the bottom of our homepage to the project upload button. Complete the form and upload your photos. We love receiving your photos and may contact you to do a professional photo shoot. Contractors; submit your photos often! What better way to show off your NICOLOCK!


FOLLOW US: FB/@nicolock IG/@nicolockpaving P/@nicolockpavingstones YT/@nicolockpavingstones


You



A rich mixture of White, Pewter and Raven bring an intense color choice to your project. Fortified with paver-shield[™] so the color is guaranteed to last!


















Versailles Travertine | Marble Blend Versailles 8x8 | Raven (special order) Versailles Travertine Coping | Marble Blend nicolock.com | Discover Outdoor Living 15

Making it easy to be home ...

Stone Ridge | Travertina Old Vienna with paver-**shield™** | Raven 6x12 Fullnose | Travertina



PULL OUT SECTION paver-shield COLOR SWATCHES

At Nicolock, we believe it's an art to create vivid colors and blends that are unique and timeless. Our rich, vibrant colors are crafted to stand alone or work together, to help you create a look that suits your style. From rustic to contemporary, you are sure to find the perfect color for every home.



FRESH NEW COLOR BLENDS, WITH STRENGTH AND BEAUTY THAT LASTS!







Oceanic 5*

The first 5 color blended concrete paver! Oceanic 5 captures the subtle grays and blues of the ocean to create tranquility in your hardscape design. A beautiful blend of our most sought out colors that will complete your dream project. (Made In NY, additional freight may apply.)

Peconic 6*


Introducing the first 6 Color Paver in the market! Peconic 6 fuses the luminosity of Nicolock's most popular shades from subtle grays to vibrant tans; with just the right amount of contrast to make it the perfect color for your outdoor oasis. (Made In NY, additional freight may apply.)

Graphite Pearl Blend*


A rich mix of White, Pewter and Raven create a dramatic hue of complex grays. This on trend color is beautifully crafted to create a peaceful, inviting outdoor space and an ideal centerpiece for nature's warm wood tones.

BRILLIANT COLOR IS THE HALLMARK OF NICOLOCK PAVING STONES.

The color illustrations on these pages are as accurate as photography and print processes allow. Final selection of colors should be made from physical samples.



Adobe Blend



Autumn Blend*



Cappuccino Blend*





Lilac Blend



Marble Blend*


Mocha Blend

*Premium Color **Deluxe Color


The color illustrations on these pages are as accurate as photography and print processes allow. Final selection of colors should be made from physical samples.








Caramel Tan*



Chesapeake Blend*




Crab Orchard Blend*





Oceanic Blue*

Oyster Blend*

Pennsylvania Blue**







Fire Island Blend



Golden Brown Blend



Granite City Blend





South Bay Blend*

Travertina*


Westchester Blend









Brown







Pewter

PAVER-SHIELD[™] SOLID COLORS

Raven, a solid color, is used as a border for all swatches in this insert.









Perfect patios


Stone Ridge Contemporary | Oceanic Blue Verona Fire Pit & Wall | Granite City Blend & Charcoal Ridge Brick | Charcoal

INCOL COLOR
























Mini Verona Fireplace | Granite City Blend Verona Wall | Granite City Blend Stone Ridge XL | Granite City Blend





Using color, inlays, borders and paving stone direction to **ENHANCE YOUR OUTDOOR SPACE**

Creating that WOW factor is easy to achieve when you incorporate Nicolock's design fundamentals into your project. Add a beautiful border when you are designing your new patio, poolscape, driveway or any outdoor project. Create a striking visual by using contrasting colors and different shaped paving stones. There are many options with regard to paver laying patterns. We have chosen a few examples of laying patterns on the next few pages to help guide you through the process. You can even mix and match different styles, shapes and patterns to create unique and interesting designs.






PAVER DIRECTION

Go from a traditional installation to an exceptional look by laying pavers at a 45 degree angle to create the illusion of space.






BORDERS Borders define edges and softly combine large areas that would otherwise be toneless. Monochromatic or contrasting colors help define your style.





INLAYS Inlays allow you to define an area within your outdoor space. Often created with contrasting colors and textures, inlays add visual interest to make your space pop.



NICOLOCK'S TOP 12 DESIGN COMBINATIONS

With so many options to choose from, these twelve combinations have been voted most popular by homeowners and contractors.



Primary Pavers: Alpine Contemporary **Color**: Oceanic Blue

Inlay: Old Vienna with paver-**shield™** Color: Raven

Border: Rustico 6x9 Color: Oceanic Blue



Primary Pavers: Blue Ridge Color: Westchester Blend

Inlay: Old Vienna with paver-**shield**™/ Ridge Brick **Color:** Raven/ Westchester Blend

Border: Old Vienna with paver-shield™ Color: Raven



Primary Pavers: Stone Ridge **Color:** Granite City Blend

Inlay: Old Vienna with paver-shield™ Color: Raven

Border: Stone Ridge Color: Granite City Blend



Primary Pavers: Rustico 4 Pc Combo **Color:** Marble Blend

Inlay: Roma I Color: Raven

Border: Rustico 4 Pc Combo Color Marble Blend



Primary Pavers: Fiuggi Travertine **Color:** Travertina

Inlay: The Montauk Color: Oyster Blend


Border: Rustico 6x9 **Color:** Travertina



Primary Pavers: Stone Ridge **Color:** Granite City Blend

Inlay: Ridge Brick Color: Marble Blend

Border: Stone Ridge **Color:** Granite City Blend



Primary Pavers: Colonial Cobble 4 Pc Combo Color: Oyster Blend

Border: Rustico 6x9 **Color:** Travertina



Primary Pavers: Stone Ridge Contemporary Color: South Bay Blend

Inlay: Holland Stone Color: Raven

Border: Stone Ridge Contemporary Color: South Bay Blend



Primary Pavers: Stone Ridge XL Color: Granite City Blend

Inlay: Holland Stone Color: Fire Island Blend

Border: Rustico 6x9 Color Granite City Blend



Primary Pavers: Alpine Ridge **Color:** Cappuccino Blend

Inlay: Old Vienna with paver-shield™ Color: Brown


Border: Ridge Brick Color: Cappuccino Blend



Primary Pavers: Plank Paver Color: Granite City Blend & Marble Blend

Inlay: Plank Paver Color: Raven

Border: Plank Paver Color: Granite City Blend



Primary Pavers: Plank Paver **Color:** Westchester Blend

Inlay: Pompeii **Color:** Charcoal

Border: Plank Paver Color: Westchester Blend

PRE-DESIGNED PACKAGES

Nicolock custom kits give you everything you need to get your project started. Packages include dimensions, material lists, contractor drawings and patio furniture recommendations. For additional information on our predesigned packages, **visit us at nicolock.com/predesignedpackages**.



SHOW STOPPER

The Show Stopper kit includes everything you need for entertaining including the Verona Grill Island, the Verona Fireplace, Alpine Ridge paver-**shield**[™] pavers and accented with a Rustico border.



CHEF SERIES

Create the ideal summer kitchen with The Chef Series. Our custom kit includes our Verona Kitchen Kit, Verona Fire Pit Kit and Stone Ridge paver-**shield**[™] pavers with a Rustico 6x9 inlay.



TRADITIONAL

The Traditional includes our Stone Ridge XL paver-**shield**[™] pavers with a Rustico 6x9 border, a place for your grill, a table area, a separate conversational seating area, and the Verona Fire Pit Kit.



MODERN FLAIR

Our Modern Flair contemporary kit includes three separate seating areas including one with our Verona Fire Pit Kit and our larger, more modern styled Alpine Contemporary paver-**shield**[™] pavers with The Montauk border.



MADISON CIRCLE

Relax in style with the Madison Circle Design. With a small patio off the back of the house, a Serafina Fire Pit installed over a Ridge Circle off to one corner, this backyard has everything you need to turn on the grill and enjoy some quality time.



OUTSIDE EMPIRE

The ultimate small space backyard, the Outside Empire package offers mirrored patios with Roman corners separated by a see through Kalea Bay Fireplace.



LIBERTY SQUARE


Dine in the shade with the Liberty Square design which includes a beautiful patio with a decorative inlay, a Nicolock 13' x 16' Pergola Kit and our Nantucket Kitchen Island. This design combines efficiency with practicality.



CHELSEA ON THE GREEN

Thermal Finish Flagstone used as stepping stones on each side lead you to this charming outdoor space that has it all including a Verona Fire Pit, and a beautiful inlay to frame the border.

PAVER**-SHIELD™**PAVERS





Brilliant color will always be found in Nicolock pavers with paver-**shield**[™]. Rich vibrant colors are the hallmark of everything we make. With Nicolock's paver-**shield**[™] technology, colors stay rich and vibrant. From rustic to contemporary, we have a color palette to complement every home. When choosing Nicolock, you are receiving pavers with color from top to bottom and a tight, smooth surface. Our pavers will not expose heavy aggregate as they wear. The ultra-dense surface has more color and more protection, ensuring a lifetime of beauty.



STONE RIDGE COLLECTION | One of our top selling pavers, Nicolock's Stone Ridge Collection is a stunning choice for patios, walkways, pool decks and much more!













PAVER**-SHIELD™**PAVERS





STONE RIDGE COLLECTION COLORS




46 nicolock.com | paver-**shield™** pavers



Crab Orchard Blend*

Golden Brown Blend

Lilac Blend




Stone Ridge XL | Crab Orchard Blend




STONE RIDGE Multi-size rectangular shapes. Slightly textured riven surface. Slightly chamfered edge. Can be combined with Stone Ridge XL.

	WIDTH	LENGTH	THICKNESS	PCS / SF	SF / PALLET	PCS / PALLET	LBS / PALLET
Α	41/2"	9"	23 /8"	3.8		130	
в	9"	9"	23 /8"	1.9	110	60	2,950
С	9"	131/2"	23 /8"	1.3		50	



 $P A V E R - S H I E L D^{TM}$ P A V E R S




STONE RIDGE XL Multi-size rectangular shapes. Slightly textured riven surface. Slightly chamfered edge. Can be combined with Stone Ridge. Not recommended for vehicular applications.

	WIDTH	LENGTH	THICKNESS	PCS / SF	SF / PALLET	PCS / PALLET	LBS / PALLET
Α	9"	9"	23 /8"	1.9		20	
В	9"	18"	23 /8"	.93	110	50	2,950
С	18"	18"	23 /8"	.46		20	



2.18







Mocha Blend


Oceanic 5** (Made in New York additional freight rates may apply)

*D

18"

18"





131



60



LBS / PALLET

2,950

3,537

*sold as separate pallet





Oceanic Blue

Blend*

23/8"

Peconic 6** (Made in New York additional freight rates may apply)

Pennsylvania Blue**

South Bay Blend*

Travertina*

Westchester Blend

*Premium Color **Deluxe Color


nicolock.com | paver-shield™ pavers 47



Marble Blend*



PAVER-SHIELD™ PAVERS



RUSTICO SERIES | Beautiful rectangular shaped pavers that can be utilized anywhere to enhance your home or business. Textures that include a slightly dimpled surface, chamfered edges and square corners. Interchangeable and available in a wide range of colors. A customer favorite year after year.



paver-shield

RUSTICO 4 PC COMBO | Stylish multi-sized rectangular shapes with a slightly dimpled surface. Chamfered edges with square corners.



	WIDTH	LENGTH	THICKNESS	PCS / SF	SF / PALLET	PCS / PALLET	LBS / PALLET	
Α	3"	6"	23/8"	8.0		100		
В	6"	6"	23/8"	4.0	117	100	2.050	
С	6"	9"	23/8"	2.7	111	160	3,050	
D	9"	9"	23/8"	1.8		40		







Rustico 4 Pc Combo | Bayberry Blend, Granite City Blend & Marble Blend





Golden Brown Blend



Granite City Blend



Marble Blend*



Adobe Blend

Oyster Blend*



Autumn Blend*

Pennsylvania Blue**



Bayberry Blend*

Terra Cotta Blend

Travertina*

Westchester Blend



*Premium Color **Deluxe Color


Crab Orchard Blend*




RUSTICO 6X6 AND 6X9 | Multi-size rectangular shapes with a slightly dimpled surface. Chamfered edges and square corners make these pavers an elegant choice.



	WIDTH	LENGTH	THICKNESS	PCS / SF	SF / PALLET	PCS / PALLET	LBS / PALLET	
A	6"	6"	23/8"	4	120	480	3,027	
В	6"	9"	23/8"	2.66	113	300	2,982	





(6x9 only)

(6x9 only)



*Premium Color

**Deluxe Colors

$\mathsf{P} \ \mathsf{A} \ \mathsf{V} \ \mathsf{E} \ \mathsf{R} \ \mathsf{-} \ \mathsf{S} \ \mathsf{H} \ \mathsf{I} \ \mathsf{E} \ \mathsf{L} \ \mathsf{D}^{\mathsf{TM}} \qquad \mathsf{P} \ \mathsf{A} \ \mathsf{V} \ \mathsf{E} \ \mathsf{R} \ \mathsf{S}$

BLUE RIDGE | Multi-size rectangular shapes with a textured riven surface and slightly chamfered edges give this paver a beautiful look. Not recommended for vehicular applications.



	WIDTH	LENGTH	THICKNESS	PCS / SF	SF / PALLET	PCS / PALLET	LBS / PALLET				
Α	61/2"	13"	23/8"	3.8		40					
В	13"	13"	23/8"	1.9	106	40	2,761				
С	13"	191/2"	23/8"	1.3		20					
A	dobe Blenc) k	Chesapeake Blend*	Crab Orc Blend		Golden Brown Blend	Granite City Blend				
Li	lac Blend	М	ocha Blend	Oceanic	Blue*	Oyster Blend*	Pennsylvania Blue**				

Westchester Blend

> *Premium Color **Deluxe Color

PAVER**-SHIELD™**PAVERS

ALPINE SERIES | A customer favorite because of its beautiful versatility. Derived from the texture of natural mountain stone, the Alpine Series has a subtle cleft texture ideal for pools, walkways and patios.






Alpine Ridge | Granite City Blend

P A V E R - S H I E L D[™] P A V E R S



PAVER**-SHIELD™**PAVERS

ALPINE RIDGE | These multi-sized shapes will add a great feel to any project. Natural cleft texture with a lightly chamfered edge. Not recommended for vehicular applications.



	WIDTH	LENGTH	THICKNESS	PCS / SF	SF / PALLET	PCS / PALLET	LBS / PALLET
Α	73/4"	155/8"	23/8"	.84		30	
В	155/8"	155/8"	23/8"	1.7	127	30	3,500
С	155/8"	231/2"	23/8"	2.55		20	

ALPINE SERIES COLORS





Caramel Tan*

Mocha Blend



Cappuccino Blend*





Adobe Blend





Marble Blend*

Oceanic Blue*

Oyster Blend*



ALPINE CONTEMPORARY | Multi-size rectangular shapes with a smooth texture and slightly chamfered edges. Not recommended for vehicular applications.



	-		
a la			
and the second second			
the second s			
	1000		

Golden Brown Blend



Pennsylvania Blue**



Granite City

Blend

South Bay

Blend*

Graphite Pearl Blend*



Westchester


Blend

Lilac Blend



Travertina*

*Premium Color **Deluxe Color



NEW	WIDTH	LENGTH	THICKNESS	PCS / SF	SF / PALLET	PCS / PALLET	LBS / PALLET
	155/8"	231/2"	23/8"	2.66	107	40	2,889

Sold separately

nicolock.com | paver-shield[™] pavers 57

paver-shield

RIDGE BRICK | A universal, oversized brick shape with a textured riven surface. Slightly chamfered edges. Use as a field paver or as a border for any Ridge product.

WIDT	H LENGTH	THICKNESS	PCS / SF	SF / PALLET	PCS / PALLET	LBS / PALLET
41/	." 9"	23/8"	3.63	110	400	2,950



Cappuccino

Blend*

Granite City

Blend






















Blend*



Mocha Blend

Autumn

Blend*

Blend*



Brown

Golden

Brown Blend





South Bay Blend*



Caramel Tan*



Pennsylvania Raven*

Charcoal

Lilac Blend






Westchester

Blend

*Premium Color **Deluxe Color





COLONIAL COBBLE | Multi-size Ashlar pattern with flat surface, chamfered edges and pillowed corners.

COLONIAL COBBLE NORMAL

WIDTH	LENGTH	THICKNESS	PCS / SF	SF / PALLET	PCS / PALLET	LBS / PALLET
63/8"	63/8"	23/8"	3.6	116	420	3,168



COLONIAL COBBLE 11/2NORMAL

WIDTH	LENGTH	THICKNESS	PCS / SF	SF / PALLET	PCS / PALLET	LBS / PALLET
63/8"	93/8"	23/8"	2.4	124	300	3,223



COLONIAL COBBLE 4 PC COMBO

	WIDTH	LENGTH	THICKNESS	PCS / SF	SF / PALLET	PCS / PALLET	LBS / PALLET
Α	33/8"	63/8"	23/8"	7.1		100	
в	63/8"	63/8"	23/8"	3.6	122	100	2 454
С	63/8"	93/8"	23/8"	2.4	133	160	3,454
D	93/8"	93/8"	23/8"	1.6		40	





Granite City

Blend







Blend*





Crab Orchard Blend*



Blend

Adobe Blend



Autumn





Blend





Oyster Blend*


*Premium Color



PAVER**-SHIELD™** PAVERS

HOLLAND STONE |

A beautiful classic brick shape with a flat surface and chamfered edges. Versatile for many outdoor projects. Also available in 31/8" thickness fr special order only.



WIDTH	LENGTH	THICKNESS	PCS / SF	SF / PALLET	PCS / PALLET	LBS / PALLET
4"	8"	23 /8"	4.5	120	540	3,100


Bayberry Blend*

Brown

Autumn Blend*



Charcoal




Crab Orchard

Blend*




Fire Island Blend




Golden Brown Blend

Granite City Blend



Chamois



* Premium color



Adobe Blend

$\mathsf{P} \ \mathsf{A} \ \mathsf{V} \ \mathsf{E} \ \mathsf{R} \ \mathsf{-} \ \mathsf{S} \ \mathsf{H} \ \mathsf{I} \ \mathsf{E} \ \mathsf{L} \ \mathsf{D}^{\mathsf{TM}} \qquad \mathsf{P} \ \mathsf{A} \ \mathsf{V} \ \mathsf{E} \ \mathsf{R} \ \mathsf{S}$


NEW

DIAMOND PAVER | Nicolock's Diamond Paver allows you to produce unique hardscape designs. Pair with Nicolock's 8" x 8" paver to create a visual appeal with complementary and contrasting colors. Fuel your creativity with this flexible solution for residential and commercial applications. Great for walkways, driveways, patios etc..



WIDTH	LENGTH	THICKNESS	PCS / SF	SF / PALLET	PCS / PALLET	LBS / PALLET
57/16"	131/8"	23 /8"	2.48	96	192 full pcs 32 half pcs	2,750

Combine the Diamond Paver with our 8x8 Paver to make a unique design





Charcoal





Granite City Blend




Marble Blend*



Red

* Premium color


🕜 paver**-shield**






PLANK PAVER | The long and narrow design of this Nicolock favorite; gives a finished and sleek appearance to complement modern design trends.








Charcoal

Granite City Golden Brown Blend





Marble Blend*

Raven*




Blend

Westchester Blend

	WIDTH	LENGTH	THICKNESS	SF / PALLET	PCS / PALLET	LBS / PALLET
Α	6"	9"	23/4"		54	
В	6"	13"	23/4"	103	81	3,122
С	6"	17"	23/4"		54	



WIDTH	LENGTH	THICKNESS	PCS / SF	SF / PALLET	PCS / PALLET	LBS / PALLET
6"	13"	23/4"	.545	103	189	3,122




* Premium color



ROMA | AND ROMA || Modular system - rounded corners with pillowed edge allows for flexibility in free-form patterns. Can be used with the Sante-Euro® Circle.

	WIDTH	LENGTH	THICKNESS	PCS / SF	SF / PALLET	PCS / PALLET	LBS / PALLET
A - Roma I	4.6"	7"	23/8"	4.27	131	560	3,519
B - Roma II	4.6"	4.6"	23/8"		126	740	3,278
C - Roma II	2.33"	4.6"	23/8"	-	120	120	3,210



Brown



Oceanic Blue*



Golden Brown

Blend

Raven*


Oyster Blend*


Westchester Blend

Granite City Blend

THE MONTAUK | Multi-size, irregular shapes with a textured surface and textured edges. Makes a stunning accent and just as beautiful on its own. No spacer lugs.


	WIDTH	LENGTH	THICKNESS	SF / PALLET	PCS / PALLET	LBS / PALLET
Α	23/4"	31/4"	23/8"			
в	23/4"	4"	23/8"			
С	31/4"	4"	23/8"	65	630	1,663
D	35/8"	4"	23/8"			
Е	4"	4"	23/8"			







Charcoal



		H
		E
	T	
		H

1			
	2000		

Granite City Blend

Oyster Blend*

Raven*




*Premium color

64 nicolock.com | paver-shield[™] pavers



HERITAGE SLAB | Heritage Slab is a great stone for various architectural applications including rooftops and plazas. Suitable for overlays and at-grade applications, it is a favorite for paving large surface areas.





PEDESTALS | Stackable and adjustable form options (sold separately).



	LENGTH	THICKNESS	PCS / SF	SF / PALLET	PCS / PALLET	LBS/PALLET
8"	16"	2"	.88	80	90	1,783
12"	12"	2"	1	120	120	2,654
18"	18"	2"	.44	135	60	2,990
24"	24"	2"	.25	80	20	1,776
18" Round	k	2"	n/a	n/a	40	1,562
1	12" 18" 24"	12" 12" 18" 18"	12" 12" 2" 18" 18" 2" 24" 24" 2"	12" 12" 2" 1 18" 18" 2" .44 24" 24" 2" .25	12" 12" 2" 1 120 18" 18" 2" .44 135 24" 24" 2" .25 80	12" 12" 2" 1 120 120 18" 18" 2" .44 135 60 24" 24" 2" .25 80 20



paver-shield

FIUGGI TRAVERTINE | Fiuggi Travertine gives the look and feel of traditional travertine stone with the added bonus of our patented paver-shieldTM technology. Available in multi-sized rectangular shapes, featuring a flat surface with natural Travertine markings and slightly chamfered edges. Not recommended for vehicular applications.



	WIDTH	LENGTH	THICKNESS	PCS / SF	SF / PALLET	PCS / PALLET	LBS / PALLET
Α	73/4"	155/8"	23/8"	.84		30	
В	155/8"	155/8"	23/8"	1.7	127	30	3,500
С	155/8"	231/3"	23/8"	2.56		20	

С



B



100			
		10000	

Adobe Blend

Lilac Blend





Marble Blend*

Chesapeake Blend*



Golden Brown Blend

Mocha Blend



Oceanic Blue*

Granite City Blend

Travertina*




Westchester Blend

*Premium color


**Deluxe color



COBBLESTONE | Octagonal shape with small square, flat surface and chamfered edges.



	WIDTH	LENGTH	THICKNESS	PCS / SF	SF / PALLET	PCS / PALLET	LBS / PALLET
A	61/4"	87/8"	23/8"	3.6	111	400	2,823
В	43/8"	87/8"	23/8"	4.5	111	500	2,877





Autumn Blend* (not available in edger)

Α





Granite City Blend



TOSCANA TUMBLED PAVERS

Nicolock's exceptional quality with the elegant look of naturally aged stone. Superior color with textured edges give these stones an old world charm.

COUNTRY 6X6 AND 6X9 Slightly textured surface with antiqued edges.

	WIDTH	LENGTH	THICKNESS	PCS / SF	SF / PALLET	PCS / PALLET	LBS / PALLET
Α	6"	6"	23/8"	4	120	480	3,087
В	6"	9"	23/8"	2.7	113	300	2,717

COUNTRY 4 PC COMBO Multi-size rectangular shapes with slightly textured surface and antiqued edges.

			U				
	WIDTH	LENGTH	THICKNESS	PCS / SF	SF / PALLET	PCS / PALLET	LBS / PALLET
Α	3"	6"	23/8"	n/a		100	
в	6"	6"	23/8"		117	100	2,927
С	6"	9"	23/8"		n/a		160
D	9"	9"	23/8"			40	
	Α		В		с	D	





COUNTRY 6X6 AND 6X9 AND COUNTRY 4 PC COMBO COLORS











Adobe Blend

Golden Brown Blend

Granite City Blend

Oyster Blend*

TOSCANA TUMBLED PAVERS

POMPEII Multi-size irregular shapes with textured surface and edges. Inspired by the streets of Ancient Rome. No spacer lugs needed.

	WIDTH	LENGTH	THICKNESS	SF / PALLET	PCS / PALLET	LBS / PALLET
Α	23/4"	31/4"	23/4"			
В	23/4"	4"	23/4"		65 630	1,884
С	31/4"	4"	23/4"	65		
D	35/8"	4"	23/4"			
Ε	4"	4"	23/4"			
Α	\sim	В	<u> </u>		D	E



Charcoal



Granite City Blend



Oyster Blend*

OLDE TOWNE 1/2 AND OLDE TOWNE COMBO Multi-size Ashlar pattern with textured surface and antiqued edges. No spacer lugs needed.

	WIDTH	LENGTH	THICKNESS	PCS / SF	SF / PALLET	PCS / PALLET	LBS / PALLET			
OLD	OLDE TOWNE 1/2									
A	43/4"	91/2"	23/4"	3.2	111	360	3,313			
OLD	E TOWNE COI	MBO								
В	91/2"	91/2"	23/4"	1.6	111	72	2 5/2			
С	91/2"	143/8"	23/4"	1.1	72		3,542			







Α





Adobe Blend

Granite City Blend

Oyster Blend*

CIRCLES AND INLAYS





With Nicolock it's easy to add an artistic focal point to accentuate a seating area or create a distinguishing pattern in your driveway. Express your style outdoors with these textures and colors to accent your project.

CIRCLES AND INLAYS

RIDGE CIRCLE | Graceful curves and a stone texture make this circle kit a favorite for patios and driveways. Large oversize pieces with 6 rings plus center stone; all with a ridge mountain surface texture.



SIZE	SF / PALLET	PCS / PALLET	LBS / PALLET
11' Circle (7 rings)	95	pc 1 = 9 pc 2 = 9 pc 3 = 18 pc 4 = 135 pc 5 = 72	3,143









Chesapeake Blend*



Graphite Pearl . Blend*



Oceanic Blue*

*Premium color

**Deluxe Color









Autumn Blend*

Crab Orchard

Blend*

Lilac Blend












Cappuccino Blend*



Caramel Tan*

Granite City Blend







Mocha Blend

Raven*



South Bay Blend*

Travertina*



Westchester Blend


72 nicolock.com | Circles and Inlays



COUNTRY CIRCLE | A Toscana, antiqued textured surface makes this circle the perfect landscape accent. With this kit you can create up to a 10' 4" circle using the 10 ring pattern or mix and match colors to enhance visual interest in your design.



SIZE	SF / PALLET	PCS / PALLET	LBS / PALLET
10' 4" Circle 10 Rings	86.5	pc 0 = 10 pc 1 = 20 pc 2 = 20 pc 3 = 220 pc 4 = 320 pc 5 = 10	2,325







Bayberry Blend*





Charcoal

Crab Orchard Blend*





Golden Brown Blend



Granite City Blend



Oyster Blend*



SANTE-EURO[®] CIRCLE | Circle designs with sweeping curves are all possible with the stunning Sante-Euro[®] Circle kit. A beautiful way to enhance your walkway, patio or driveway.



SIZE	SF / BAND	SF / PALLET	PCS / PALLET	LBS / PALLET
10' Circle	9 Layers	76	Pc 1 = 9 Pc 2 = 27 Pc 3 = 288 Pc 4 = 360	2,126





Brown

Chamois






Charcoal


Blend*





Fire Island Blend

Golden Brown Blend



Granite City Blend





Oyster Blend*


Raven*

Westchester Blend

CIRCLES AND INLAYS

RUSTICO CIRCLE | You can mix in a Rustico Circle with other paver styles or use it with Rustico pavers to create incredible designs. This 10 ring with center circle kit makes a beautiful 10' 4" circle with a Rustico surface texture.











Marble Blend*

Oyster Blend*


Raven*

Terra Cotta Blend




C I R C L E S A N D I N L A Y S

OLD TOWN FLAGSTONE CIRCLE A complete circle pack on a pallet! Naturally aged and textured surface with an authentic character of reclaimed flagstone in a circular design with stone cut edges.



WETHERDALE CIRCLE | Wetherdale Circle creates a 10' 9" circle with a shallow riven surface and stone cut edges. Creating an intimate patio space has never been so easy.



CIRCLES AND INLAYS

OLD TOWN FLAGSTONE QUARTERED SQUARE PATIO PACK

This classic design features a series of rectangular bands of slabs running out from a single central unit and radial lines that provide the quartered effect. Although visually complex, it is easy to create a 9 foot square as the mitered corner is in fact a single unit. Authentic character of reclaimed flagstone in a circular design with stone cut edges.



	WIDTH	LENGTH	THICKNESS	SF / PALLET	PCS / PALLET	LBS / PALLET				
Α	12"	12"	11/2"	1	1					
В	18"	18"	11/2"	32	16	1,424				
С	12"	24"	11/2"	48	24					
то	TOTAL SQUARE FEET/PALLET: 81									












Bluestone

York Brown

CIRCLES AND INLAYS

OLD VIENNA WITH PAVER-SHIELD™ | Rustic antique clay brick surface. Borders come to life with this beautiful inlay.










Autumn Blend*







Fire Island Blend

Raven*





BELGIUM COBBLE Designed to bring a touch of Old World Europe to your hardscape design.



	SIZE	PCS / SF	SF / PALLET	PCS / PALLET	SF / BAND	LBS / PALLET
A	5 ⁵ / ₈ " x 8 ¹ / ₈ " x 2 ³ / ₈ "	3.1	33	48	15	850
В	5 ⁵ / ₈ " x 9 ⁷ / ₈ " x 2 ³ / ₈ "	5.1		50	18	0.50
A E						

Bluestone

Brown

EDGESTONE | Decorative solution for use around walkways, patios and gardens.



SIZE	LF / PALLET	PCS / PALLET	LBS / PALLET
10" x 4" x 7½"	100 l.f.	120	2,695









Adobe Blend

Golden Brown Blend

Granite City Blend

ENVIRONMENTAL PAVERS


Nicolock manufactures several variations of eco-friendly paving stones. These products allow storm water to percolate back into the soil rather than run-off into sewers and waterways. In addition to being environmentally friendly, these pavers may help you to maximize the property by creating a more permeable surface area to meet government requirements.



NICOLOCK ENVIRONMENTAL PAVERS

- Reduces Runoff / Prevents Flooding
- Reduces Costs By Providing A Durable Pavement Combined
- With Storm Water Management
- A Recognized Surface Infiltration BMP (Best Management Practice)
- Provides An Attractive Pavement For Vehicular & Pedestrian Traffic

A. Curb
B. Permeable No. 8 Joint Fill
C. Nicolock Permeable Paver
D. No. 8 Stone Bedding Layer
E. No. 57 Stone Open-Graded Sub-base
F. No. 2 Stone Open Graded Sub-base
G. Geo-textile Fabric (Design Option)
H. Uncompacted Subgrade
I. Underdrain Design Option




ENVIRONMENTAL PAVERS

SF-RIMA® | Square shape and flat surface give these pavers a contemporary look. Chamfered edges give it a real stone feel. 10% open surface area and joint opening make these stones compliant with the Americans with Disabilities Act. (ADA)

WIDTH	LENGTH	THICKNESS	SF / PALLET	PCS / PALLET	LBS / PALLET	
8"	8"	31/8"	91	192	3,218	







ECO-RIDGE 80MM An oversized brick shape with a slightly textured riven surface. Slightly chamfered edges with a 3% open surface area. Joint opening is

SF / PALLET

100

PCS / PALLET

320

LBS / PALLET

3,389

compliant with the Americans with Disabilities Act. (ADA)

THICKNESS

31/8"

WIDTH

43/4"

LENGTH

91/2"


Granite City Blend

Oyster Blend*



Eco- Ridge 80 MM | Granite City Blend

*Premium color



Blend



Granite City Blend



ENVIRONMENTAL PAVERS

CHECKER BLOCK[®] | Gives you the strength of concrete with steel reinforcement in areas where you wish to maintain a grassy look including overflow parking, service roads, tree pits and fire lanes. It is also ideal for stabilizing embankments along streams, rivers and lakes. 75% surface open area for excellent drainage.

WIDTH	LENGTH	THICKNESS	SF / PALLET	PCS / PALLET	LBS / PALLET	1,2233
24"	24"	4"	80	20	2,000	

WIDTH LENGTH THICKNESS SF / PALLET PCS / PALLET LBS / PALLET
16" 24" 31/8" 93 35 2,062

TURFSTONE | Lattice concrete grid in rectangular pieces to allow rainwater to gradually

filter back into the soil. 40% flat, open surface area.








Natural

Natural

E N V I R O N M E N T A L P A V E R S

ECO-TRE | Textured, chamfered edges give these pavers an authentic stone feel yet provide a 10% open surface area and joint opening is compliant with the Americans with Disabilities Act. (ADA)

	WIDTH	LENGTH	THICKNESS	SF / PALLET	PCS / PALLET	PCS / PALLET	A	В	С
Α	81/2"	51/2"	31/8"						
В	81/2"	81/2"	31/8"	96	160	3,284			
С	81/2"	141/4"	31/8"						naver-shield








Oyster Blend*



Westchester Blend





Nicostone by Nicolock is a durable paving stone that looks and feels like natural stone. Nicostone products fuse elegance and modern technology with the advantage of our Cool Touch Technology[™]. Pavers with Cool Touch reflect solar heat, making it more comfortable to walk on with bare feet.



GRAND FLAGSTONE | Beautiful natural stone texture and 15 unique shapes that replicate large, irregular flagstone. Fast installation with easy-to-install pattern. Uniform thickness (1 3/4") with a omfortable end result. Multiple natural color blends are available.



WIDTH*	LENGTH*	THICKNESS	SF / PALLET	SF / LAYER	LBS / PALLET
38"	42"	13/4"	90	111/4	2,000







*Each layer creates a 38" x 42" area

GRAND FLAGSTONE COLORS

Bluestone




Mocha




York Brown



VERSAILLES TRAVERTINE | Beautiful multi-size rectangular shapes with a flat surface and natural travertine markings. Not recommended for vehicular applications.



	WIDTH	LENGTH	THICKNESS	SF / PALLET	PCS / PALLET	LBS / PALLET						
Α	8"	8"	11/2"		16							
В	8"	16"	11/2"	64	18	1,051						
С	16"	16"	11/2"		8	1,051						
D	16"	24"	11/2"		8							
Сорі	Coping											
Е	12"	24"	11/2"	n/a	15	493						
Outs	ide Corner											
F	12"	12"	11/2"	as r	required	12						
Insid	e Corner (6" notch)										
G	18"	18"	11/2"	as r	required	18						



VERSAILLES TRAVERTINE COLORS



*Premium color

Gironde* Marble Blend*


OLD TOWN FLAGSTONE PATIO PACK | A complete patio on a pallet! Naturally aged and textured surface with stone cut edges

	WIDTH	LENGTH	THICKNESS	SF / PALLET	PCS / PER PALLET	LBS / PER PALLET
Α	12"	12"	11/2"	6	6	
В	12"	18"	11/2"	18	12	
С	12"	24"	11/2"	18	9	
D	18"	18"	11/2"	4.5	2	1,200
E	18"	24"	11/2"	9	3	
F	24"	24"	11/2"	12	3	
		TOTAL		67.5	35	
Α		В	С		D E	F
	1					



WETHERDALE PATIO PACK | A complete patio on a pallet. Riven surface texture and stone cut edges.

	WIDTH	LENGTH	THICKNESS	SF / PALLET	PCS / PALLET	LBS / PALLET
Α	12"	12"	13/8"	6	6	
В	12"	18"	13/8"	18	12	
С	12"	24"	13/8"	18	9	
D	18"	18"	13/8"	4.5	2	1,175
E	18"	24"	13/8"	9	3	
F	24"	24"	13/8"	12	3	
		TOTAL		68	35	
А	-	В	2	D	E	F















*Premium Colors

cool touch

Bluestone Gironde*

Mocha


York Brown

Bluestone Gironde*

York Brown

88 nicolock.com | Nicostone Pavers

THERMAL FINISH FLAGSTONE | Natural stone appearance with a thermal finish smooth and consistent texture. Sold as patio pack or as individual sizes.



THERMAL FINISH FLAGSTONE OR NATURAL CLEFT FLAGSTONE PATIO PACK SPECIFICATIONS

	WIDTH	LENGTH	THICKNESS	SF / PALLET	PCS / PALLET	LBS / PALLET
Α	12"	12"	11/2"	6	6	
В	12"	18"	11/2"	18	12	
С	12"	24"	11/2"	18	9	
D	18"	18"	11/2"	4.5	2	1,175
Е	18"	24"	11/2"	9	3	
F	24"	24"	11/2"	12	3	
TOTA	L			68	35	
	A	B	c	D	E	F
						cool touch

NATURAL CLEFT FLAGSTONE | A uniquely attractive natural cleft texture with an Old World charm. Sold as patio pack or as individual sizes.



THERMAL FINISH FLAGSTONE OR NATURAL CLEFT FLAGSTONE SPECIFICATIONS

	WIDTH	LENGTH	THICKNESS	SF / PALLET	PCS / PALLET	LBS / PALLET
A	12"	12"	11/2"	" 40 40		700
В	12"	18"	11/2"	60	40	1,100
С	12"	24"	11/2"	80	40	1,400
D	18"	18"	11/2"	45	20	800
E	18"	24"	11/2"	60	20	1,000
F	24"	24"	11/2"	80	20	1,400
FULL	PALLET O		JAL SIZES			



WALL SYSTEMS

Walls are no longer just used for functionality; today they are becoming increasingly more diverse and expressive. When it comes to choosing the perfect wall to suit any style, look no further than The Nicolock Wall Collection. We make it easy to choose the perfect wall for any residential or commercial installation. The chart on the following page will help you determine structural needs. Once you decide, you'll find numerous style options and an exceptional palette of colors to choose from. Look for Nicolock, where beauty, durability and functionality meet.

WALL SYSTEMS

Nicolock Walls are available in a variety of styles and include features designed for multiple applications. To help you select the best wall for your installation, please review the chart below. Additional information is included on each product page.

WALL STYLE	SYSTEM		CORNERS	WALL Gravity (+/-)	HEIGHTS* REINFORCED (+/-)	ALIGNMENT	SETBACK	CORE	FEATURES	OUTDOOR Living kits
LANDSCAP	PE WALLS	– Ideal for ret	aining, free-sta	nding seat wall	s and many other o	outdoor living features				
Mini Colonial	4-Piece	N/A	Yes/Split	1.5'	N/A	Concrete Adhesive	Vertical	Solid	Double Sided	N/A
5" Colonial	4-Piece	Yes	Yes/Split	2.5'	6'	Tongue & Groove	Vertical or 1.5"	Solid	Double Sided	N/A
6" Colonial	4-Piece	N/A	Yes/Split	1.5'	N/A	Concrete Adhesive	Vertical	Solid	Double Sided	N/A
Verona	1-Piece	N/A	Yes	1.5'	N/A	Concrete Adhesive	Vertical	Solid	Double Sided	Yes
Stonegate®	3-Piece	Yes	Yes	2.5'	6'	Pin	Vertical or 1"	Solid	Double Sided	Yes
Claremont	2-Piece	N/A	Yes	1.5'	N/A	Concrete Adhesive	Vertical	Solid	Double Sided	N/A
Belvedere	6-Piece	Yes	Yes	2.0'	6'	Concrete Adhesive	1/2"	Solid	Double Sided	Yes
Kodah	4-Piece	Yes	Yes	2.5'	6'	Concrete Adhesive	3/4"	Solid	Double Sided	Yes
RETAININ	g walls	– Walls built	for earth reter	ntion suitable f	or residential or o	commercial installatio	ns			
Firma®	1-Piece	Yes	Yes	3.0'	12'	Tongue & Groove	3/4"	Solid	Single Sided	N/A
Everloc™	1-Piece	Ves	Ves	3.0'	15'	Tongue & Groove	1"	Hollow	Single Sided	Ν/Δ

								1		
Everloc™	1-Piece	Yes	Yes	3.0'	15'	Tongue & Groove	1"	Hollow	Single Sided	N/A
Alta	1-Piece	Yes	Yes	3.0'	12'	Rear Lip	1"	Hollow	Single Sided	N/A
Alta Pro	1-Piece	Yes	Yes	3.0'	40'	Rear Lip	1"	Hollow	Single Sided	N/A
Trinity®	1-Piece	Yes	Yes	3.0'	40'	Lug/Built In	1"	Hollow	Single Sided	N/A
Compac III	1-Piece	Yes	Yes	3.0'	40'	Pin	Near Vertical or 1"	Hollow	Single Sided	N/A
Outcropping	12-Piece	Yes	Yes	6'	15'	Shear Heel Lugs	14 Degrees	Solid	Single Sided	N/A


GARDEN WALLS – Perfect for tree rings, edgings, garden borders and low retaining wall installations											
Sierra	1-Piece	N/A	N/A	1.5'	N/A	Rear Lip	1"	Solid	Single Sided	N/A	
Serafina	1-Piece	N/A	N/A	1.5'	N/A	Concrete Adhesive	Vertical	Solid	Double Sided	Yes	
Mountain Block	2-Piece	N/A	N/A	1.5'	N/A	Concrete Adhesive	Vertical or 1"	Solid	Single Sided	Yes	
Garden Wall	1-Piece	N/A	N/A	1.5'	N/A	Rear Lip	1"	Solid	Single Sided	N/A	

*Wall heights shown are intended as a guide and not for construction purposes. Consult a qualified engineer for design assistance. **Note:** Gravity walls rely on unit weight and unit set-back to retain soils. Reinforced walls rely on unit weight, unit set-back and geogrid to retain and stabilize soils.



The symbol signifies that this product is suitable for building elevated wall heights using geogrid reinforcement or other design methods. Consult a licensed engineer for design assistance.

LANDSCAPE WALLS



L A N D S C A P E W A L L S

BELVEDERE WALL | A Belvedere Wall provides the rich texture of quarried stone for an organic finish without the expense. Create warm, rustic silhouettes with Belvedere.





3" x 18" x 9"



6" x 18" x 9"




3" x 12" x 9"

6" x 12" x 9"



6" x 6" x 9"



See page 114 for information on Belvedere Corners





Mocha





Bluestone

York Brown



LANDSCAPE WALLS

COLONIAL WALL SYSTEMS | The charming Colonial Wall System features a distinctive double-sided face, offered in hard-split rock face finish. It is available in three face lengths and includes corner units (packaged on a combined pallet). You can build the 3" or 6" wall individually or combine them for added dimension. There is also a prepackaged Colonial Pier to add the finishing touch to your wall.





6" COLONIAL WALL

PRODUCT SIZE		SF / PALLET	PCS / PALLET	LBS / PALLET	
Large	6" x 16" x 9"		15	1000	
Medium	6" x 12" x 9"	35 25 25	25		
Small	6" x 9" x 9"		4,068		
Corner Unit	6" x 16" x 9"		10		
				and the second	
6" x 16" x 9" 6"		x 12" x 9"	6" x 9" x 9"	Corner: 6" x 16" x 9"	

3" x 16" x 9"

PRODUCT

Large

Small

Medium

Corner Unit

MINI AND 6" COLONIAL WALL COLORS

3" x 12" x 9"

SF / PALLET

35



SIZE

3" x 16" x 9"

3" x 12" x 9"

3" x 9" x 9"

3" x 16" x 9"



PCS / PALLET

30

50

50

20

3" x 9" x 9"

Adobe Blend



Granite City Blend





Bluestone*



Graphite Pearl Blend*



Lilac Blend

LBS / PALLET

3,921

Corner: 3" x 16" x 9"



Chesapeake Blend*



Mocha Blend



Crab Orchard Blend



Oyster Blend



Fire Island Blend

South Bay Blend



Golden Brown Blend



Travertina*



Westchester Blend

L A N D S C A P E WAL LS

5" COLONIAL WALL | The 5" Colonial Wall is offered in hard-split rock face finish. It features a double-sided face, available in three face lengths and includes corner units (packaged on a combined pallet). The tongue and groove locking mechanism will ensure a solid connection and helps facilitate rapid installation. It is perfect for a wide range of applications from garden and free-standing walls to fire pits. There is also a prepackaged Colonial Pier to add the finishing touch to your wall.



PRODUCT

Large

Medium

Corner Unit

5" x 16" x 9"

Small







Bluestone*



Adobe Blend

Chesapeake Blend*

Crab Orchard Blend





Fire Island Blend

Golden Brown Blend





Oyster Blend

Travertina*



Granite City Blend

Westchester Blend



SIZE

5" x 16" x 9"

5" x 12" x 9"

5" x 9" x 9"



SF / PALLET

35



PCS / PALLET

18

30

30

12

LBS / PALLET

3,548

Corner: 5" x 16" x 9"

5" x 12" x 9" 5" x 9" x 9"





ngineered

etaining Wal stem

LANDSCAPE WALLS

The Verona Wall's antiqued double-sided finish mirrors the look of natural stone. It's a versatile wall to construct almost any outdoor feature including VERONA WALL free-standing walls, steps, outdoor kitchens and fireplaces. You can also a build Verona Piers to complement your wall.





VERONA WALL COLORS

Adobe Blend









Bluestone*

Chesapeake Blend*



Crab Orchard Blend

Golden Brown Blend





Granite City Blend

Graphite Pearl Blend*





Oyster Blend



South Bay Blend

Oceanic Blue*

Travertina*




Westchester Blend *Premium Color

96 nicolock.com | Landscape Walls


L A N D S C A P E W A L L S

STONEGATE[®] CONTEMPORARY | The 3-piece Stonegate[®] Contemporary Wall System features a unique, modern contemporary finish on three sides. It's offered in three face lengths (packaged on the same pallet) and available in a cap.



- Versatile wall system. One pallet does it all, retaining, free-standing, seating walls and columns
- Specialized pin system allows vertical to 1" setback build
- Excellent for straight, curved and terraced wall designs

PRODUCT	SIZE	SF / PALLET	PCS / PALLET	LBS / PALLET
LARGE	6" x 16"/14" x 10"			
MEDIUM	6" x 12"/10" x 10"	30	60	2,623
SMALL	6" x 6"/4" x 10"			
САР	3" x 12"/10" x 11"	66 l.f.	72	2,033





6" x 12"/10" x 10" 6" x 16"/14" x 10"





6" x 6"/4" x 10"



Cap: 3" x 12"/10" x 11"

SOLD SEPARATELY






Adobe Blend

Bluestone*







Golden Brown Blend





Granite City Blend

Oceanic Blue*

South Bay Blend

Graphite Pearl Blend*

Oyster Blend



Travertina*



Westchester Blend

*Premium Color



nicolock.com | Landscape Walls 97

LANDSCAPE WALLS

CLAREMONT WALL | Linear, horizontal proportions evoke a contemporary yet classic stone appearance. Each unit is finished on both the front and back surfaces, allowing for both freestanding and retaining walls. Crisp, chiseled stone texture is indistinguishable from natural shaped, limestone drywall.





Corner Unit 4" x 22" x 8"

By Nicolock

L A N D S C A P E W A L L S

KODAH WALL Kodah Wall is a one-of-a kind large scale retaining wall system. Its modern, linear proportions combined with its rough, quarried stone texture make it perfect for a variety of applications. The Kodah Wall also makes it easier than ever to provide you with the big block look without the over the top installation costs.





Bluestone




Mocha



York Brown








6" x 21" x 101/2"

6" x 12" x 101/2" Corner: 6" x 21" x 101/2" SOLD SEPARATELY

PRODUCT	SIZE	SF / PALLET	PCS / PALLET	LBS / PALLET
Α	6" x 42" x 101/2"		6	2,400
В	6" x 30" x 101/2"	21	3	
С	6" x 21" x 101/2"		6	
D	6" x 12" x 101/2"		3	
E Corner Unit	6" x 21" x 101/2"	311/2	24	2,400

RETAINING WALLS



ETAINING R W LS Δ

OUTCROPPING | With this large rock landscaping look, your new retaining wall, stairs or poolscape will stand out among your neighbors. Get the look you want without sacrificing the structurally sound solution you need.

PALLET A

	SIZE	SF / PALLET	PCS / PALLET	LBS / PALLET
Α	12" x 42" x 24"/20"		4	4,000
В	12" x 48" x 24"/20"	18		
С	12" x 60" x 24"/20"	10		
D	12" x 66" x 24"/20"			
12"x 42"x 24"/20" 12"x 48"x 24"/20" 12"x 60"x 24"/20" 12"x 66"x 24"/20"				5"x 24"/20"

PALLET B

	SIZE	SF / PALLET	PCS / PALLET	LBS / PALLET
Α	6" x 24"x 24"/20"	18	6	4,000
В	6" x 36"x 24"/20"			
С	6" x 48"x 24"/20"			
D	12" x 36"x 24"/20"			
E	12" x 54"x 24"/20"			
F	12" x 72"x 24"/20"			






PALLET C

	SIZE	SF / PALLET	PCS / PALLET	LBS / PALLET
Α	6"x 24"x 24"/20"		4	4,000
В	6"x 36"x 24"/20"	18		
С	18"x 60"x 24"/20"	10		
D	24"x 48"x 24"/20"			

6"x 24"x 24"/20" 6"x 36"x 24"/20" 6"x 48"x 24"/20" 12"x 36"x 24"/20" 12"x 54"x 24"/20" 12"x 72"x 24"/20"






OSETTA


6"x 39"x 27"

By Nicolock





6"x 36"x 24"/20"



Bluestone





Mocha




York Brown



RETAINING WALLS

FIRMA WALL® | The Firma® Wall is a segmental retaining wall with a natural splitface texture. Its classic line complements any natural or architectural landscape. A solid block with tapered sides, this wall system combines rich color, form and function into your project.





Adobe Blend



Granite City Blend



Crab Orchard Blend



Mojave



Golden Brown Blend



Oyster Blend

EVERLOC[™] 810 EXPRESS WALL | Everloc[™] is a lightweight, one-square foot retaining wall system. Dress joints and radius edges create a three-piece, random appearance from one basic shape. System consists of a wall unit, corner, utility (to maintain bond at ninety degree outside corners) and a cap. Hollow core design and unique locking mechanism allows for quick and easy installation. Everloc[™] is a user friendly system with little to no saw cutting due to its cutting edge corner and utility combo design.

PRODUCT	SIZE	SF / PALLET	PCS / PALLET	LBS / PALLET
810 EXPRESS A	8" x 18" x 9"	32	32	1 700
810 EXPRESS B	8" x 18" x 9"	- 32 32	1,793	
833 UTILITY	8" x 53/4" x 9"	31	96	1,227
CORNER UNIT	8" x 9" x 12"	37.33	64	1,495
WEATHER DOME CAP	33/4" x 8" x 12"	64 l.f.	96	1,566
A 810 EXPRESS	В	833 UTILITY	CORNER	WEATHER DOME
	7727			
8" x 18" x 9" 8' Sold together in one		8" x 53/4" x 9"	8" x 9" x 12"	33/4" x 8" x

- Lighter weight = faster installation, less freight
- Multi-piece look in a single piece system
- Bidirectional locking mechanism assists in installation speed





Adobe Blend





Golden Brown Blend

Granite City Blend

RETAINING WAL LS

ALTA WALL | Alta Wall is a versatile wall for everyday landscape applications. It's tapered design simplifies installation of inside and outside curves so you can design with freedom. The hollow core design and rear lip connection make this wall system a go to system for professionals.

SIZE	PCS / SF	SF / PALLET	PCS / PALLET	LBS / PALLET
6" x 16" x 12"	1.5	26.6	40	1,962
Corner: 6" x 8" x 12"	2	24	48	2,164



6" corner unit SOLD SEPARATELY

6" x 8" x 12"




ALTA PRO WALL | A taller version of our beautiful Alta Wall, this system helps landscape and hardscape professionals create stunning outdoor living spaces with structural integrity


SIZE	PCS / SF	SF / PALLET	PCS / PALLET	LBS / PALLET
8" x 18" x 12"	1	32	32	2,404
Corner: 8" x 18" x 9"	1	32	32	2,509



8" x 18" x 12"









Adobe Blend



Fire Island Blend

Golden Brown Blend



Granite City Blend

RETAINING WALLS

TRINITY[®] **WALL** | Trinity[®] Wall is a pinless, square foot block designed for small and large engineered applications. Trinity's vertically aligned core allows for efficient and complete stone fill. It's single sided face in is available in three color mixes to enhance any environment with functional design and beauty. Special order.




Adobe Blend



Golden Brown Blend



Granite City Blend





SIZE	PCS / SF	SF / PALLET	PCS/ PALLET	LBS / PALLET
8" x 18" x 12"	1	32	32	2,676

8" x 18" x 12"

WAL RETAINING LS

KEYSTONE® COMPAC III STRAIGHT SPLIT

The Compac III's shape allows for tight radius curves and vertical core alignments. This wall can do it all with vertical or battered setback construction options. With triangular shaped receiving holes, construction adjustments are simplified. Natural stone appearance and rich colors complement any setting.



Adobe Blend



Fire Island Blend




Golden Brown Blend



Granite City Blend







8" x 18" x 12"

Made in New York, additional freight rates may apply.





- Maximum versatility and performance
- Ease of installation
- Natural stone texture appearance



GARDEN WALLS



G A R D E N W A L L S

MOUNTAIN BLOCK Mountain Block's single sided face provides a unique stone texture with its 4" x 12" wall face. Solid block makes this system structurally sound for walls with a maximum height of 36". Its organic design stylishly connects your home to its natural surroundings. Nicolock's Rockface Multi-Cap can be used to add the finishing touch to a great outdoor setting.





SIZE	SF / PALLET	PCS / PALLET	LBS / PC	LBS / PALLET
4" x 12" x 8"	16	48	28	1,360
Corner: 4" x 12" x 8"	16	24	32	775



Bluestone

Mocha

York Brown

SIERRA WALL A beautiful 4" x 12" wall that has a soft-split face texture and a rear lip connection. This single-sided wall system has tapered sides and a 1" setback per course.

SIZE	PCS / SF	SF / PALLET	PCS / PALLET	LBS / PALLET
4" x 12" x 8"	3	32	96	2,319

4" x 12" x 8"

SERAFINA WALL | The Serafina Wall's trapezoid shape and split face on two sides makes it a multifaceted solution for many hardscape applications. From straight and curved walls, single or two-sided borders for your garden, Serafina is a great option where walls less than three feet high are required. Available in colors for every home.

SIZE	PCS / SF	SF / PALLET	PCS / PALLET	LBS / PALLET	4" x 6" x 9"
4" x 10"/6" x 9"	3.5	17	60	1,519	1000

4" x 10" x 9"







Adobe Blend



Fire Island Blend



Charcoal



Granite City Blend

Crab Orchard Blend



Mojave



Adobe Blend



Granite City Blend





Fire Island Blend

Travertina*

Golden Brown Blend



Graphite Pearl . Blend*

Bluestone*

Oyster Blend

Westchester Blend *Premium Color

108 nicolock.com | Garden Walls



GARDEN WALL A beautiful 4"x12" garden wall with straight lines and a rear lip connection. This single sided wall has tapered lines and is perfect for small applications in straight or serpentine walls.

SIZE	PCS / SF	LAYERS / PALLET	PCS / PALLET	LBS / PALLET	
4" x 12" x 8"	3.5	6	108	1,800	4" x 12" x 8









Bluestone*



Fire Island Blend



Golden Brown Blend



Granite City Blend



Travertina*



Westchester Blend

NEW FROM MICOLOCK

The strength and wide color variety of natural stone enhances any area. Natural stone veneers can be installed on the interior or exterior of your home for a timeless look. Excellent finishes and beautiful colors in this collection will help you create a look that is sure to leave a lasting impression. Available in Natural Ledgestone and English stone patterns; so you can achieve the look you've always imagined with low maintenance using long lasting natural stone veneers.



NATURAL LEDGESTONE | Panels are designed using a unique Z-joint design that becomes nearly invisible after installation. Panels interlock for a seamless fit. Ledgestone Corners are two pieces that seamlessly interlock to create a 90 degree corner.

STRAICHTS	PCS / BOX	BOX / PALLET	WEIGHT
STRAIGHTS	6	25	1,200
CORNERS	12 PCS -	6 CORNERS- 3LF /	BOX





Golden Honey



Pembrey



Sterling

ENGLISH PATTERN Natural stone veneers that feature the bold look of natural stone. Variation in size and shape complement any project. Beautiful colors help create a look that will leave a lasting impression.

STRAIGHTS	PCS / SF	BOX / PALLET	WEIGHT
STRAIGHTS	120 SF	120	1,600
CORNERS		5 LF / BOX	









Boston

Bavarian

Nicolock's Piers and Caps provide a beautiful finishing touch to any wall system. Choose from a variety styles and vivid colors to complement your outdoor project.


MINI COLONIAL PIER KIT | Offered in a hard-split

rockface finish. Cap not included.

Builds Per Pallet:

One: 24" x 24" x 60" high pier – **or** – Two: 24" x 24" x 30" high piers

SIZE	SF / PALLET	PCS / PALLET	LBS / PALLET
3" x 143/4" x 9"	40	80	2,620



MINI COLONIAL PIER COLORS



Blend





Blend

Crab Orchard

Blend

Lilac Blend

Mocha Blend

Chesapeake

Blend*

MINI COLONIAL AND 5" COLONIAL PIER COLORS

Bluestone*



Adobe Blend



Oyster Blend





Travertina* Blend **5" COLONIAL PIER KIT** Offered in a hard-split rockface finish. Cap not included.

Builds Per Pallet:

One: 24" x 24" x 70" high pier – **or** – Two: 24" x 24" x 35" high piers

SIZE	SF / PALLET	PCS / PALLET	LBS / PALLET
5" x 143/4" x 9"	46.6	56	2,849



Granite Citv

Graphite Pearl


VERONA PIER KIT | Offered in an antiqued finish that mirrors the look of natural stone and a smooth contemporary finish. Cap not included.

Builds Per Pallet:

Two: 20" x 20" x 48" high piers

SIZE	SF / PALLET	PCS / PALLET	LBS / PALLET
4" x 12" x 8"	32	96	2,739







Charcoal











Travertina*





*Premium color

Westchester Blend

112 nicolock.com | Piers • Caps • Coping • Steps

Graphite Pearl Blend*




Oceanic Blue*

Crab Orchard

Blend

Oyster Blend







Blend

Blend*

Fire Island

Blend







STONEGATE[®] CONTEMPORARY PIER | With a pallet

you can make: One – 20" x 20" x 60" or Two - 20" x 20" x 30" or One - 30" x 30" x 30" pier.

SIZE	SIZE	SF / PALLET	PCS / PALLET	LBS / PALLET
Large	6" x 16"/14" x 10"			
Medium	6" x 12"/10" x 10"	30	60	2,800
Small	6" x 6"/4" x 10"			
Сар	3" x 12"/10" x 11"	66 l.f.	72	2,033

Cap: 3" x 12"/10" x 11" 6" x 6"/4" x 10"





Bluestone*







Oceanic Blue*

*Premium color

Oyster Blend

Blend



Chesapeake Blend*

Graphite Pearl

Blend*

P

NEV

NANTUCKET PRE BUILT PIER KIT | Easy to install, makes one pier. Pier Cap sold separately.

SIZE	QTY	LBS / PALLET
24" x 24" x 35"	1 pier	250 lbs
30" x 30" x 35"	1 pier	350 lbs



PRE-BUILT PIER COLORS




NY Bluestone Biscotti Tan



CORNERS Nicolock offers other Pier style	es using
the following wall products:	
6" CORNER	Propage 1
Offered in a hard-split rock face texture	
Builds Per Pallet	6" x 8" x 12"
One: 20" x 20" x 72" H or Two: 20" x 20" x 36" H Pier	S
3" CORNER	
Offered in a hard-split rock face texture	A COLOR
Builds Per Pallet	58.72
One: 27" x 27" x 64" H Pier or	8" x 18" x 9"
Гwo: 27" x 27" x 32" H Piers	8. X 18. X 9.
R" EVERI ∩C™ CORNER	- Conner 1

8" EVERLOC[™] CORNER Features a clean classic face appearance. **Builds Per Pallet** One: 21" x 21" x 128" H Pier or Two: 21" x 21" x 64" H Piers

PIER CAPS A clean chiseled stone edge while providing a sturdy platform for additional landscape lighting.





Bluestone



Pier Cap Sizes: 2 1/2" x 18" x 18" 2 1/2" x 20" x 20" 2 1/2" x 25" x 25" 3" x 24" x 24" 3" x 26" x 26" 3" x 27" x 27" 3" x 28" x 28" 3" x 30" x 30"

Gironde*

York Brown

*Premium color

8" x 9" x 12"

nicolock.com | Piers • Caps • Coping • Steps 113

Westchester Blend



Charcoal

Blend







BELVEDERE PIER AND CAP | Corner blocks are used to build the pier, multiple textures provide a random look for your finished project. Cap provides the finishing touch as well as additional landscape lighting possibilities.

Builds Per Pallet (corner units): One: 24" x 24" x 36" high pier

SIZE	SF / PALLET	PCS / PALLET	LBS / PALLET		
3" x 15" x 9"	24	16	1 520		
6" x 15" x 9"	24	16	1,520		

Cap: 2 1/2" x 27" x 27"

CLAREMONT PIER AND CAP | Chiseled finished, corner blocks are used to build the pier. The matching cap provides the finishing touch as well as additional lighting possibilities.

Builds Per Pallet (corner units):

One: 30" x 30" x 40" high pier

SIZE	SF / PALLET	PCS / PALLET	LBS / PALLET
4" x 22" x 8"	33	40	2,200
	Cap: 3" x 3	34" x 34"	

KODAH PIER AND CAP | Corner blocks are used to build the pier. The cap provides the finishing touch as well as additional landscape lighting possibilities. **Builds Per Pallet (corner units)** One: 32" x 32" x 36" high pier

By Nicolock

SIZE	SF / PALLET	PCS / PALLET	LBS / PALLET
6" x 21" x 101/2"	31.5	24	2,400
	Cap: 3" x	34" x 34"	


BELVEDERE, CLAREMONT AND KODAH PIER COLORS





LINEAR CAP | Contemporary double-sided wall cap with clean lines and a slight chamfer. Perfect for pools, steps,or walls.

SIZE	LF / PALLET	PCS / PALLET	LBS / PALLET
23/8" x 18" x 12"	63	42	1,800





Charcoal

Brown

Chesapeake Granite City Blend Blend*








Blend



PIERS • CAPS • COPING • STEPS



MULTI CAP | Features a hard-split face design on one edge. Suitable for single-sided walls but also compatible with all Nicolock Walls.





Crab Orchard



Fire Island Blend

Adobe Blend

Golden Brown Granite City Blend






Oyster Blend

Blend


Charcoal

Westchester Blend



DIMENSIONAL COPING | Features chiseled stone texture on two sides and compatible with all Nicolock Walls.

2½" x 18" x 12½" 18
2 ¹ / ₂ " x 19" x 12 ¹ / ₂ " 12 63 500
2½" x 24" x 12½" 4



COLONIAL CAP | Is offered in a hard-split rock face finish on two sides. Corners can be split into trapezoid shapes suitable for Colonial Wall Systems but also compatible with any Nicolock Wall.

SIZE	PCS /PALLET	LF / PALLET	LBS / PALLET
3" x 9" x 12 ½"	40		
3" x 12" x 12 ½"	40		
3" x 15" x 12 ½"	20	108	3,766
3" x 15" x 12 1/2' Corner	20		
3" x 9" x 12 ½"	3" x 12" x 12 ½"	3" x 15" x 12 ½	2" 3" x 15" x 12




Corner

Travertina*

Westchester Blend


*Premium Colors

nicolock.com | Piers • Caps • Coping • Steps 115



ROCKFACE MULTI CAP | Features cast stone texture on two sides. Trapezoid shapes and available in two widths. Compatible with all Nicolock walls.

SIZE	PCS / PALLET	LF / PALLET	LBS / PALLET
2" x 9" x 11 ½"	14	11	
2" x 12" x 11 ½"	14	14	
2" x 15" x 11 ½"	14	18	1,200
2" x 15" x 11 1/2" End Unit	4	5	




2" x 15" x 11½"

2" x 15" x 11½" End Unit

Combined pallet 48 lf.

ROCKFACE MULTI CAP GRANDE

SIZE	PCS / PALLET	LF / PALLET	LBS PALLET		
2" x 9" x 14"	14	11		2" x 9" x 14"	2" x 12" x 14'
2" x 12" x 14"	14	14			
2" x 15" x 14"	14	18	1,400		
2" x 15" x 14" End Unit	4	5		2" x 15" x 14"	2" x 15" x 14' End Unit



Belvedere Coping | York Brown

BELVEDERE COPING | Creates the rustic appearance of natural stone and complements our Belvedere Wall.

SIZE	PCS / PALLET	LF / PALLET	LBS / PALLET
2 ¼" x 6" x 10 ¼"	24		
2 ¼" x 12" x 10 ¼"	12		
2 ¼" x 18" x 10 ¼"	6		
2 1/4" x 18" x 10 1/4" End Unit Left	6	66	1,550
2 1/4" x 18" x 10 1/4" End Unit Right	10		

Combined pallet 66 lf.



Bluestone

York Brown



2¼" x 6" x 10¼" | 2¼" x 12" x 10¼" | 2¼" x 18" x 10¼"

Two End Units (Left & Right): 2 ¼" x 18" x 10 ¼" The end units are useful for constructing corners/ends, finished on front, back, top, and one side.

116 nicolock.com | Piers • Caps • Coping • Steps

OLD TOWN COPING | Rectangular shapes and dimpled surface give this coping a unique look. Texture edges add a special charm. No spacer lugs needed.




VERSAILLES COPING | Flat surface with natural travertine markings. Fullnose on one side. Inside and outside corners available .

		SIZE	SF / PALLET	PCS / PALLET	LBS /PCS	LBS / PALLET	Sec. M
and the second		1½" x 24" x 12"	30	15	-	493	and the second
-		1½" x 12" x 12" Outside Corner	as required	as required	12		192
		1½" x 18" x 18" with 6" notch Inside Corner			18	as required	Gironde*
	The second se						Concerning and the second
			x 24" x 12"	1½" x 1 Outside	2" x 12" e Corner	1½" x 18" x 18"with 6" notch Inside Corner	

PIERS • CAPS • COPING • STEPS

6X12 FULLNOSE | Surround your pool or create sturdy steps. 6 x12 Fullnose Pavers come in a wide variety of colors. Rectangular in shape and a smooth surface give this coping a unique look. Rounded edges add a special charm. No spacer lugs needed.








4X12 AND 8X12 FULLNOSE | Get the size you want with the perfect rectangular shape and smooth texture with rounded edges. No spacer lugs needed.

4 X12 FULLNOSE

SIZE	PCS / LF	LF / PALLET	PCS / PAL	LET LBS / I	PALLET
4" x 12" x 2¾"	3	104	312	2,	745
the state of the state					
		TAXABLE PARTY OF	All Division of		
	Real Land Contra	SUB CASE (DATA)	16.63	D. Lond Dest	
THE PROPERTY OF	I THE		1000		
Adobe Blend	Charcoal	Fire Island	Golden Brown	Granite City	
		Blend	Blend	Blend	

8 X12 FULLNOSE

SIZE	PCS / LF	LF / PALLET	PCS / PALLET	LBS / PAL	LET	
8" x 12" x 23/8"	1.5	104	156	2,493		
	1 di nort					
	1 TOTAL					
Adobe Blend	Charcoal	Crab Orchard Blend	Fire Island Blend	Golden Brown Blend	Granite City Blend	Mojave*



ROCKFACE TREADS | These treads have a chiseled stone edge treatment on three sides that make it the perfect finishing touch to a garden wall. Thermal finish top surface give them a smooth texture.



2" x 74" x 14"









SIZE	PCS / PALLET	LBS / PC	LBS / PALLET
2" x 51" x 14"	13	118	1,810
2" x 64" x 14"	13	147	2,245
2" x 74" x 14"	13	165	2,515

IRREGULAR STEPS Our Irregular Steps will give a beautiful appearance that is indistinguishable from natural stone. They have a uniform rise that is both safe and comfortable. Irregular sizes lend a rustic sophistication to your landscape.



SIZE	UNITS / BUNDLE	LBS / PC	LBS / PALLET
7" x 54" x 34"		458	
7" x 60" x 24"		600	
7" x 42" x 17"	6	349	2.062
7" x 48" x 28"		567	2,962
7" x 42" x 26"		476	
7" x 48" x 24"		512	



7" x 48" x 28"



7" x 60" x 24"

7" x 42" x 17"



7" x 42" x 26"



7" x 48" x 24"



Mocha



Bluestone

PIERS • CAPS • COPING • STEPS

THERMAL AND FULLNOSE TREADS | These beautiful steps have a flamed stone edge treatment on three sides with a thermal finish top surface. Six sizes make it easy to fit your design.




SIZE	PCS / PALLET	LBS / PC	LBS / PALLET
2" x 48" x 12" Thermal only	15	96	1,490
2" x 60" x 12" Thermal only	15	120	1,850
2" x 72" x 12" Thermal only	15	143	2,200
2" x 48" x 14" Thermal and Fullnose	15	118	1,815
2" x 60" x 14" Thermal and Fullnose	15	147	2,250
2" x 72" x 14" Thermal and Fullnose	15	165	2,515



2" x 48" x 12" Thermal only 2" x 60" x 12" Thermal only 2" x 72" x 12" Thermal only 2" x 48" x 14" Thermal and Fullnose 2" x 60" x 14" Thermal and Fullnose 2" x 72" x 14" Thermal and Fullnose



ROCKFACE STEPS | Makes a 6" change in elevation with a single unit. Thermal finish top surface chiseled stone edge treatment on three sides.



SIZE	PCS / PALLET	LBS / PC	LBS / PALLET
6" x 51" x 16"	13	365	4,745
6" x 64" x 16"	13	455	5,915
6" x 74" x 16"	13	545	7,085

6" x 51" x 16" 6" x 64" x 16" 6" x 74" x 16"

Individual sizes sold separately







*Premium color

Bluestone

122 nicolock.com | Piers • Caps • Coping • Steps

Brown

Gironde*

*Premium color

ROMA STEP | Smooth top with a textured finish, the Roma Step provides transition and functionality to your hardscape design.



SIZE	PCS / PALLET	LF / LAYER	LBS / PALLET
6" x 48" x 18"	6	8	2,250
Brown	6" x 48" x 1		anite City
		_	Blend
REAL PROPERTY.			





Oyster Blend*

Westchester Travertina* Blend

*Premium color

STEPPING STONES | Effective in protecting lawns from traffic. Create winding paths across gravel, mulch or grass.



SIZE	PCS / PALLET	LBS / PC	LBS / PALLET
1½" x 22" x 16½"	20	37	777
	A 1995 1996		and the second second
and the second second			Sec. and
Autumn Cotswold	Blueston	e	Gironde*
	Stat State		
10 A 10 A	1 march		
Lilac*	York Brow	/n	
*Duranian a la m		1½" x	22" x 16½"
*Premium color			

LOG SLEEPERS | Create an authentic, rustic feel with a cut-log look. A maintenance-free alternative to traditional railroad ties.



SIZE	PCS / PALLET	LBS / PC	LBS / PALLET
1½" x 24" x 10"	20	23	483






1½" x 24" x 10"

Rustic Brown

O U T D O O R L I V I N G





	OUTSIDE DIAMETER	HEIGHT	LBS / PALLET
WITHOUT COPING	48"	16"	1,350
WITH COPING	511/2"	18"	1,714

FIRE PITS ß FIREPLA C F S

SERAFINA FIRE PIT | There is something magical about sitting around a fire pit. The Serafina Fire Pit provides a charming focal point for entertaining with family and friends.

CHOOSE YOUR WOOD OR GAS PACKAGE:

WOOD The Standard Wood option is for fire lovers who appreciate the full aesthetics of burning wood. Choose your coping option for added height and contrasting finish; add the optional grates to complete your outdoor sanctuary.

Serafina Fire Wood Standard 3 | Westchester Blend

Rockface Metal Full Pallet Grates Coping Insert WOOD Wall Stone PACKAGES INCLUDE Wood 1 60 60 Standard Wood 2 0 0 6 Standard Wood 3 0 6 6 Standard Wood 4 6 6 6 G Standard

SMOKE-LESS WOOD A unique double-wall, design results in smoke reduction. When a fire is burning, the walls heat up, hot air rises and exits the wall cavity through the line of holes around the rim. This pressurized, heated oxygen mixes with the smoke and causes it to reburn, reducing smoke.

GAS Whether you prefer propane or natural gas, each ignition type includes everything you need to experience season-round enjoyment day or night. Includes the vent kit for all ignition systems and the control panel for MT and TMSI.



GAS PACKAGES INCLUDE	Full Pallet Wall Stone	Lava Rocks	Match Throw Burner Kit	TMSI Burner Spark Ignition Kit	TFS Burner w/ remote
*Deluxe Match Throw ¹	0	0	0		
*Deluxe Spark TMSI ¹	0	0		0	
Deluxe Remote TFS**	0	0			0

Vent kit included with all ignition systems. * Control panel included

** Must be ordered with natural gas or

Travertina*

¹Includes NG to LP Piece

liquid propane

Oyster Blend






COPING

Brown

Gironde*





PACKAGES INCLUDE		-	, end	0
Smoke-Less 1	0	0		
Smoke-Less 2	0	0		Ø
Smoke-Less	6		0	

Golden Brown

Blend

Fire Island Blend

Bluestone*

Crab Orchard

Blend

Granite City

Blend

Graphite Pearl

Blend*

Adobe Blend

Westchester

Blend

OUTDOOR LIVING

BELVEDERE FIRE PIT | What better way to enjoy your outdoor living area than to gather together around this beautiful Belvedere Fire Pit with your loved ones.

The natural textures and colors of the Belvedere seamlessly fit together with every Nicolock stone.

SMOKE-LESS WOOD SMOKE-LESS fire pits work through a double-wall, smoke reduction design. When a fire is burning, the walls heat up and hot air rises and exits the wall cavity through the line of holes around the rim. This pressurized, heated oxygen mixes with the smoke and causes it to re-burn, reducing smoke.



GAS Nicolock's gas options make it easy to add a gas burning fire pit to your outdoor living space. Whether you prefer propane or natural gas, each ignition type includes everything you need to experience season-round enjoyment day or night. Vent kit included in all ignition systems.



OUTSIDE DIAMETER	HEIGHT	LBS / PALLET
55"	141/4"	2,540



CHOOSE YOUR WOOD OR GAS PACKAGE:



Vent kit included with all ignition systems. * Control panel included ¹Includes NG to LP Piece ** Must be ordered with natural gas or liquid propane





Bluestone

Mocha

York Brown

126 nicolock.com | Outdoor Living | Fire Pits & Fireplaces

FIRE PITS & FIREPLACES

VERONA FIRE PIT | Complement your patio with the sleek look of the Verona Fire Pit. Add warmth to your backyard in any season! An easy fire pit to install, the Verona will fit in with any backyard or patio design.

	WIDTH	LENGTH	HEIGHT	INSERT	WEIGHT			
43 1/2" 43 1/2		43 1/2"	16"	28" Square	1,312			
	WITH OPTIONAL COPING							
	WIDTH	LENGTH	HEIGHT	INSERT	WEIGHT			
	48"	48"	18"	28" Square	1,600			



Westchester

Blend

*Premium Colors

CHOOSE YOUR WOOD OR GAS PACKAGE:

WOOD	Half Pallet Wall Stone	Metal Insert	Zentro Metal Insert	Zentro Stainless Steel Insert	Coping	Grate
Wood Standard 1	0	0				
Wood Standard 2	0	0			0	
Wood Standard 3	0	0				0
Wood Standard 4	0	0			0	0
SMOKE-LESS						
Smoke-Less 1	0		0			
Smoke-Less 2	0		0		0	
Smoke-Less 3	0			Ø		
Smoke-Less 4	0			0	0	
GAS	Half Pallet Wall Stone	Coping	Lava Rocks	Match Throw Burner Kit	TMSI Burner Spark Ignition kit	TFS Burner w/ remote
*Deluxe Match Throw ¹	0	0	0	0		
*Deluxe Spark TMSI ¹	0	0	0		0	
Deluxe Remote TFS**	0	0	0			0

Vent kit included with all ignition systems. * Control panel included ¹Includes NG to LP Piece

** Must be ordered with natural gas or liquid propane





COPING

Bluestone

Brown





Gironde*

OUTDOOR LIVING

VERTICAL PANEL TECHNOLOGY

OVATION FIRE PIT | Every season is the season for the Ovation. Easily installed, the Ovation can create warmth and ambiance at your home tonight! Choosing your package is easy. Start by selecting your burn type (Wood, Smoke-Less or Gas), then select from our various options.







BASE			ТОР	HEIGHT	Г	WEIGI	нт		ard or outdoor sett
40" Diam	eter	44"	Diameter	Without top	o 18"	345		envir	onmental impact, w
				With top 19	91/2"	345		vertic	al masonry structu
WOOD	2 Pane and Connect		Stone-Face Top	Metal Insert		Grates	Zentro Inse		Zentro Stainless Steel Insert
Wood 1 Standard	Ø		0	0					
Wood 2 Standard	0		0	0		0			

SMOKE-LESS

SINIOVE-LES	ა					
Smoke- Less 1	0	0			0	
Smoke- Less 2	0	0				0
GAS	2 Panels and Connectors	Stone-Face Top	Lava Rocks	Match Throw Burner Kit	TMSI Burner Spark Ignition kit	TFS Burner kit w/ remote
*Deluxe Match Throw¹	0	0	0	0		
*Deluxe Spark TMSI ¹	0	0	0		0	
Deluxe Remote TFS**	0	0	0			0

Vent kit included with all ignition systems.

* Control panel included

¹Includes NG to LP Piece

** Must be ordered with natural gas or liquid propane

Vertical Panel Technology is the smart alternative to block and stone masonry. Reinforced concrete panels and easy installation process makes constructing outdoor living spaces quick and affordable. This technology enables you to choose the texture, profile and color palette to fit the natural landscape of any por setting. Reduce material waste and pact, while delivering the highest quality structures.





Stacked Stone



Ledge Stone

CHOOSE YOUR COLOR

Brown

Bluestone

Biscotti Tan




NY Bluestone



texture available in Rustic Brown (as shown) and Weathered Wood colors. Stone textures available in Biscotti Tan and NY Bluestone colors.


* Barn Wood

Weathered Wood



& FIREPLACES FIRE PITS VERTICAL PANEL TECHNOLOGY

ENCORE FIRE PIT | Celebrate every season year after year with the Encore Fire Pit! Anywhere you install it, the Encore will quickly become the favorite place for your family and friends to gather. Choosing your package is easy. Start by selecting your burn type (Wood, Smoke-less or Gas), then select from our various options.



Encore Deluxe Match Throw | Barn Wood | Biscotti Tan | Bluestone Top

** Must be ordered with natural gas or liquid propane

OUTDOORLIVING




SG LINEAR FIRE PIT

LENGTH	WIDTH	HEIGHT	TOP HEIGHT	WEIGHT		
521/4"	30"	18"	11/4"	3,200		
KIT INCLUDES:						


30 SF Stonegate[®] Wall 34" x 56" Granite Cap 1 Paver Vent 6LNTS 1 LOF-BO-LP40 (Conversion Kit) 1 Paver CP-TMSI 1 LOF-30LHTMSI-N (10" x 30" linear burner)

SG GRANDE FIRE PIT

Lava Rocks



SG FIRE PIT COLORS



Bluestone*



Adobe Blend

Charcoal







Granite City Graphite Pearl Blend Blend*

Oceanic Blue*





Oyster Blend South Bay Blend

d Travertina*



Westchester Blend

*Premium Color



TRIUMPH FIRE PIT VERTICAL PANEL TECHNOLOGY

3,500

LENGTH	WIDTH	HEIGHT	TOP HEIGHT	WEIGHT
44"	33"	24"	11/4"	550

KIT INCLUDES:

4 GFRC Wall Panels 35" x 46" Granite Cap 1 NPS 14" x 20" Access Door w/ Vents 1 Paver Vent 4LNTS 1 LOF-BO-LP40 (Conversion Kit) 1 Paver CP-TMSI 1 LOF-30LHTMSI-N (10" x 30" linear burner) Lava Rocks



Caledonia Top (ALL PRODUCTS)

FIRE PITS & FIREPLACES

CREATING WARMTH JUST GOT EASIER

Make your outdoor space a little cozier with Nicolock and Firegear. Now there are even more gas options to extend the outdoor season. We proudly offer a great selection of elegant Firegear solutions to suit every space. Choose one of Nicolock's prepackaged creations or build a unique design from almost any wall stone to enjoy the great outdoors with friends and loved ones.

VISIT ANY NICOLOCK AUTHORIZED FIREGEAR DEALER FOR THE FULL FIREGEAR PRODUCT LINE







BURNERS



GRATES





GET FIRED UP WITH FIREGEAR AND NICOLOCK

To see the complete line of Firegear Products ask for the FireGear Catalog.





OUTDOOR LIVING

breeo SMOKE-LESS



Breeo Smoke-Less Fire Systems work through a double-wall, secondary combustion design. When the fire is burning, the walls heat up and the hot air rises through the gap between the two walls. The air then exits the wall cavity through the line of holes around the rim. Pressurized, heated oxygen mixes with the smoke and causes it to reburn.

BREEO ZENTRO SMOKE-LESS INSERTS

SQUARE ZENTRO INSERT WITH LID | STEEL



SQUARE ZENTRO INSERT | STAINLESS



ROUND ZENTRO INSERT | STEEL

ABLAZE FREE STANDING FIRE PIT



ROUND ZENTRO INSERT WITH LID | STAINLESS



DOUBLE FLAME FREE STANDING FIRE PIT

PHOENIX FREE STANDING FIRE PIT



LUXEVE FREE STANDING FIRE PIT





From smoke-less fire pits and inserts to campfire accessories, Breeo is reviving the connection we make around a fire. For a complete line of Breeo products ask for the Breeo catalog.

FIRE PITS & FIREPLACES

LIDS | ROUND AND SQUARE

MODEL	DIMENSIONS	DESIGNED TO FIT
Round LID-19R2*	22 3/8" Diamter x 5/8" H - lid height 2" with handle	Ovation Gas
Round LID-29R2*	32 1/2" Diamter x 5/8" H - lid height 2" with handle	Ovation Gas, Serafina Wood or Gas
Round LID-33R2*	36 1/2" Diamter x 5/8" H - lid height 2" with handle	Belvedere Wood or Gas
Square LID-20S	22 1/4" W x 5/8" H - lid height 2" with handle	Encore Gas
Square LID 26S	36 1/2" Diamter x 5/8" H - lid height 2" with handle	Verona & Encore Wood or Gas

*Does not work with grates





SPARK SCREENS

MODEL	DIMENSIONS	DESIGNED TO FIT
Square 770 Black	30" Screen (30" x 12")	Verona, Encore
Round 775 Black	30" Screen (30" x 15")	Serafina, Ovation
Round 775 Stainless Steel	30" Screen (30" x 15")	Serafina, Ovation
Round 781 Black	9" Screen (39" x 18")	Belvedere





MEDIA | LAVA ROCKS, STONES AND BOULDERS


LAVA ROCK	LAVA STONE	LAVA BOULDERS	BROKEN GLASS COLORS
			Seabreeze Cola Cosmo Crystal Caribbean Pepper GLASS BEAD COLORS
Mined from the earth, these dark rocks contrast beautifully against a bright flame. Each rock is approximately 1" to 2" in diameter. 10lb bag / 50lb bag	Made from tumbled lava rock, these stones lend a casual elegance. Each stone is approximately 1" to 2" in diameter 50lb bag	These rugged rocks are 6" to 12" in diameter, for a coastal, straight-off-the- beach style. 30lb box	Cobalt H20 Midnight Sky Tequila

LOG SETS

SPIT FIRE (17) piece refractory log set is a great alternative to enjoy your fire feature without the mess of real wood and ashes. Compatible with pits larger than 19"



E-STOPS | GAS TIMERS



Mechanical timer with manual emergency shut-off. 1 hour countdown timer.



Mechanical timer with manual emergency shut-off. 2.5 hour countdown timer.

GLASS

REFLECTIVE	Mirror finish broken reflective. Approx. 1/2" to 3/4" in size	5lb bag
BROKEN	Large broken. Approx. 1/2" to 3/4" in size	5lb bag
BEAD	Glass beads. Approx. 16-18mm in size (WSL)	5lb bag

REFLECTIVE GLASS COLORS



nicolock.com | Outdoor Living | Fire Pits & Fireplaces 133






BEACH FIRE

(8) Piece version of the Spit Fire. Designed

UTDOOR LIVING 0

Gather 'round the fire day or night! Complement your patio with the sleek look of the Verona Fireplace. Add warmth to your backyard in any VERONA FIREPLACE season! Contains everything you need to construct this stunning fireplace.



*Premium Color

Adobe Blend

Bluestone*

Charcoal

Crab Orchard Blend

Chesapeake Blend*

Golden Brown

Blend

Granite City Blend



Blend*

FIRE PITS & FIREPLACES

MINI VERONA FIREPLACE | A smaller version of the Verona but just as beautiful! Enjoy the warmth all year round. Extend your outdoor living season with a toasty fire anytime!



 LENGTH
 DEPTH
 HEIGHT
 WEIGHT

 48"
 40"
 821/2"
 5,860

INCLUDES:

- 2 pallets of Verona wall
- 4' rockface step tread
- 4" rockface accent piece
- Top piece with 8" cut out for smoke
- Lentil with keystone
- Steel insert not included, firebrick recommended
- Does not come with flue pipe





Real Providence

Oyster Blend



OPTIONAL WOOD BOX

AVAILABLE

34"

24"

28'

VERONA JR FIREPLACE | A compact version of the Verona with all of the fire power! Enjoy all year long!



LENGTH	DEPTH	HEIGHT	WEIGHT
47"	40"	70"	6,003

INCLUDES:

- Verona wall
- Wet Cast 52" x 44"
- Wet Cast 36" x 36"
- Wet Cast 32" x 32"
- Zentro Insert and Vent
- 6" x 48" x 16 1/2'Rockface Step



KALEA BAY FIREPLACE | Perfect for entertaining or when you desire a place to retreat, relax and reconnect. Available in single sided and see through configurations.

	HEIGHT	LENGTH	WIDTH	WEIGHT
WITHOUT TOP	42"	87"	191/2"	
WITH TOP W/ INSERT	431/2"	911/2"	241/2"	750



SINGLE SIDED KALEA BAY INCLUDES:

- 1-42" high x 84" wide high with cut out
- 1-42" high x 84" wide panel (no cut out)
- 2-42" high x 20" wide side panel
- 4-42" high structural corner units, smooth
- 1- Cast Stone top (241/2" x 911/2")
- 1-48" Kalea Bay Fireplace insert with black crushed glass

DOUBLED SIDED KALEA BAY INCLUDES:

- 2-42" high x 84" wide with cut-out
- 2-42" high x 17" wide side panel
- 4-42" high structural corner units, smooth
- 1- counter top (241/2" x 911/2")
- 1-48" Kalea Bay Fireplace insert with black crushed glass




Ledge Stone Biscotti Tan NY Bluestone

Brown Bluestone

O U T D O O R D I N I N G

Whether your outdoor space is a city balcony or a sprawling ranch, dining outdoors is a much-anticipated ritual and pastime. With our outdoor dining options, transforming your backyard or patio into a grilling paradise involves very little effort and great Nicolock products.



OUTDOORDINING

CHOOSE FROM PREDESIGNED PACKAGES OR CUSTOMIZE YOUR DREAM OUTDOOR CULINARY SPACE!





UTDOOR DINING

VERONA KITCHEN | Nothing beats firing up that steak year-round with your Verona Kitchen! These hardwearing units include a stainless steel grill, stainless steel refrigerator, single door for propane tank access, six piece granite or cast stone countertops and lintel. Customize for maximum enjoyment with the many accessories offered!

VERONA WOOD FIRED OVEN | Dazzle everyone with an outdoor pizza oven! Cook up delicious pizza and a whole lot more! Leave the kitchen and cook outdoors! Contains everything you need to construct this fabulous oven.



LONG SIDE	108" x 137" x 41"
GRILL SIDE	82" x 36" x 38"
TOTAL WEIGHT	12,000 lbs
VIT INCLUDES.	


KII INCLUDES:

- Verona Wall
- 6 Piece Cast Stone Tops or 6 Piece Granite Tops
- 14" x 20" Single Access Door cutout dimensions: 14¼" (W) x 19¼" (H) x n/a (D)
- 30" Double Access Door cutout dimensions: 30¹/₄" (W) x 19¹/₄" (H) x n/a (D)
- 32" Stainless Steel TRL Grill or

138 nicolock.com | Outdoor Dining

38" Stainless Steel TRL Grill (with Granite Top option)

VERONA COLORS










Blend*



■ Refrigerator Trim Kit • cutout dimensions:

■ 21" Standard Refrigerator • cutout dimensions:

20 1/2"(W) x 33"(H) x 24"(D)

15" Sink • cutout dimensions:

14%"(W) x n/a (H) x 14%" (D)

203/4" (W) x 331/8" (H)

Concrete Lintels











Adobe Blend

Bluestone*

Charcoal Crab Orchard Blend*

Chesapeake Golden Brown Blend

Granite City Blend

Graphite Pearl Blend*

Oceanic Blue* Oyster Blend

South Bav Blend

Travertina*


Westchester Blend *Premium Colors

TOTAL WEIGHT 7,500 lbs

- 2 -Pallets of Verona Wall
- 1- 30" Combo

(2 drawer/1 door) enclosure cutout 301/4"(W) x 191/4" (H) x 20 3/4" (D)

- 3 4" Wetcast Tops
- Pizza Reel
- Cleaning Brush
- Oven Cover
- Cast Stone top
- Wood Fired Oven



291/2" x 321/2"

49" x 49"

44" x 44"


361/2" x 86"

INSIDE O VEN









dimensions:	

DOOR DINI II T N G

VERONA GRILL ISLAND | If you love to grill outside, the Verona Grill Island is the perfect culinary complement to your backyard or patio setting.

	HEIGHT	LENGTH	WIDTH	WEIGHT	
WITHOUT TOP	36"	79"	32"	C E00	
WITH TOP	38"	82"	36"	6,500	

KIT INCLUDES:

- Verona Wall
- 32" Sizzler Grill cutout dimensions: 305/8" (W) x 81/2" (H) x 203/4" (D)
- Double-lined roll top hood
- 740 in. Stainless steel cooking grates,
- warming rack, drip pan

- 14" x 20" Single Access Door cutout dimensions: 141/4" (W) x 191/4" (H) x n/a (D)
- Cast Stone Top
- Concrete Lintels



VERONA GRILL ISLAND DELUXE | Cook up a feast on the Verona Grill Island Deluxe! A granite countertop and pro grill make this the perfect addition to your backyard patio.

	HEIGHT	LENGTH	WIDTH	WEIGHT	
WITHOUT TOP	36"	79"	32"	6 500	
WITH TOP	38"	82"	36"	6,500	

KIT INCLUDES:

- Verona Wall
- 32" Sizzler Pro Grill cutout dimensions: 305/8" (W) x 81/2" (H) x 203/4" (D)
- Double-lined roll top hood
- 740 in. Stainless steel cooking grates, warming rack, drip pan
- Illuminated control knobs

VERONA CAST STONE TOP COLORS



Bluestone

Brown


Gironde*

*Premium Colors

14" x 20" Single Access Door • cutout dimensions: 14¼" (W) x 19¼" (H) x n/a (D)

Caledonia

- Granite Top covers 12 sq. ft of area
- Concrete Lintels






O U T D O O R D I N I N G

Great cooking performance, innovative features and purposeful design allow you to enjoy more time outdoors. Each stainless steel package option provides everything you need to cook like a pro: Grill, burner, refrigeration and storage. Build your kitchen using any Nicolock wallstone or create a kitchen using the natural stone of your choice.



O U T D O O R D I N I N G

NANTUCKET KITCHEN ISLAND | We are changing the way outdoor kitchens are built. Engineered stone panels make it possible to have the outdoor kitchen of your dreams in one day. This system gives you the flexibility of using our grill and door combinations or you can customize with other accessories. You can choose the design, colors and stone profile of your outdoor kitchen to perfectly fit the rest of your landscape and your home.





Barn Wood*

* Barn Wood texture available in Rustic Brown (as shown) and Weathered Wood colors. Stone textures available in Biscotti Tan and NY Bluestone colors.



Stacked Stone



CHOSE YOUR TOP COLOR



Brown

Biscotti Tan NY Bluestone

Bluestone

WITHOUT TOP 35" x 84" x 41" WITH TOP 361/2" x 86" Horiantal **TOTAL WEIGHT** 1,000 lbs

VERTICAL PANEL TECHNOLOGY

NANTUCKET KITCHEN ISLAND PACKAGE A INCLUDES:

- 1 Back panel
- 1 Front panel
- 4 Corners
- 2 End panels (sides)
- 📕 Тор
- Drop cloth/sheet protector
- 32" Sizzler Grill cutout dimensions:
- 30⁵/₈" (W) x 8¹/₂" (H) x 20³/₄" (D)
- 30" Double Access Door cutout dimensions: 30¹/₄" (W) x 191/4" (H) x n/a (D)
- 1 Strap
- 1 Bag of PMG-2
- 2 Tubes of adhesive

NANTUCKET KITCHEN ISLAND PACKAGE B INCLUDES:

- 2 Horizontal panels
- 4 Corners
- 2 End panels (sides)
- Top
- Drop cloth/sheet protector
- 1 Strap
- 1 Bag of PMG-2
- 2 Tubes of adhesive
- Choose your accessories from page 143





Weathered Wood



OUTDOOR DINING

PERGOLAS | Our pergolas enhance the look and feel of surrounding landscapes by transforming open space into stylish and refined outdoor rooms.



- Constructed of vinyl
- Easy maintenance
- Customizable
- Lifetime warranty
- Two stock sizes: 13'x16' or 15'x15'

CUSTOM SIZES AVAILABLE UPON REQUEST



0 0 RΠ Π

CUTOUT DIMENSIONS

141/4" (w) x 191/4" (h)

141/4" (w) x 161/4" (h)

171/4" (w) x 201/2" (h)

341/2" (w) x 173/4" (h)

301/4" (w) x 191/4" (h)

361/4" (w) x 191/4" (h)

421/4" (w) x 191/4" (h)

241/4" (w) x 18¹/4" (h)

301/4" (w) x 191/2" (h) x 203/4"(d)

301/4" (w) x 191/2" (h) x 203/4"(d)

15" (w) x 101/8" (h) x 203/4"(d)

15" (w) x 191/4" (h) x 203/4"(d)

15" (w) x 271/2" (h) x 203/4"(d)

151/4" (w) x 271/2" (h) x 203/4"(d)

301/8" (w) x 61/4 "(h) x 201/8"(d)

341/2" (w) x 173/4" (h) x 22"(d)

343/8" (w) x 173/4" (h) x 22"(d)

231/4" (w) x 4" (h) x 203/4"(d)

141/2" (w) x 83/4" (h) x 83/4"(d)

301/8" (w) x 61/4"(h) x 201/8"(d)

18" (w) x 243/4 "(h) x 201/2"(d)

MODEL

SSDVD-1

SSDVDS-1

SSDVDVL-1

AMGDD-36

SSDD-30

SSDD-36

SSDD-42

SSHD-1

SSDC-1

SSDC-3

SSDR-1

SSDR-2

SSDR-3

SSTDC-1

SSHDR-2

AMGSD-36

SSWD-36

SSUD-1

SSTDH-1

SSLPD

SSTD-1

OUTDOOR DINING ACCESSORIES | The possibilities are endless with Summerset accessories. Customize your outdoor kitchen the way you want it! Choose from the many options to make your outside kitchen the place to cook all year!

TRL BUILT-IN GRILL SERIES

the second s	MODEL	CUTOUT DIMENSIONS
	TRL32 LP or NG	301/2" (w) x 10" (h) x 203/4" (d)
2 1	TRL38 LP or NG	381/2" (w) x 10" (h) x 203/4" (d)
0-0 000	TRLD44 LP or NG	451/4" (w) x 11" (h) x 20" (d)

SIZZLER BUILT-IN GRILL SERIES

-	MODEL	CUTOUT DIMENSIONS
	SIZ26 LP or NG	233/4" (w) x 81/2" (h) x 203/4"(d
	SIZ32 LP or NG	305/8" (w) x 81/2" (h) x 203/4" (d
	SIZ40 LP or NG	38" (w) x 81/2" (h) x 203/4" (d)

SIZZLER PRO BUILT-IN GRILL SERIES

SIZPRO32 LP or NG	305/8" (w) x 81/2" (h) x 203/4" (d
 SIZPRO40 LP or NG	38" (w) x 81/2" (h) x 203/4" (d)

MOD

ALTURI BUILT-IN GRILL SERIES



MODEL	COTOOT DIMENSIONS	
ALT30 LP or NG	281/2" (w) x 103/16" (h) x 231/16"(d)	
ALT36 LP or NG	341/2" (w) x 103/16" (h) x 231/16" (d)	
ALT42 LP or NG	401/2" (w) x 103/4" (h) x 231/16" (d)	

CUTOUT DIMENSIONS

AMERICAN MUSCLE GRILL | AMG BUILT-IN GRILL SERIES



MODEL	CUTOUT DIMENSIONS
AMG36 LP or NG	35" (w) x 15" (h) x 25" (d)
AMG54 LP or NG	53" (w) x 15" (h) x 25" (d)
	MODEL AMG36 LP or NG AMG54 LP or NG

SIDE BURNERS



MODEL	BTU'S	CUTOUT DIMENSIONS
SIZEB-2-LP or NG	24,000	103/4" (w) x 81/2" (h) x 203/4" (d)
TRLSB-2-LP/ NG-double power	30,000	113/4" (w) x 9" (h) x 19" (d)
ALT-SS-LP/NG	15,000	131/4" (w) x 101/4" (h) x 23" (d)
ALT-2B-LP/NG	17,500	131/4" (w) x 101/4" (h) x 23" (d)
AMGPB-LP/NG	60,000	141/8" (w) x 9" (h) x 19" (d)
	SIZEB-2-LP or NG TRLSB-2-LP/ NG-double power ALT-SS-LP/NG ALT-2B-LP/NG	SIZEB-2-LP or NG 24,000 TRLSB-2-LP/ NG-double power 30,000 ALT-SS-LP/NG 15,000 ALT-2B-LP/NG 17,500

Double Side Burner -TRLSB-2

DOORS AND DRAWERS

MODEL

Vertical Door

Small Vertical Door

Large Vertical Door

30" Double Door

36" Double Door

42" Double Door

Horizontal Door

Single Drawer Double Drawer

Triple Drawer

2-Drawer/Door Combo

3-Drawer/Door Combo

Towel/2-Drawer Combo

Double Horizontal Drawer

36" Fuel Storage Drawer

36" Warming Drawer

Propane Tank Drawer

Utility Drawer

Towel Drawer

Trash Door

36" AMG Double Door





3-Drawer/Combo Drawer-SSDC-3



Triple Drawer-SSDR-3

Utility Drawer-SSUD-1

LIGHTED REFRIGERATION



MODEL	CUBIC FT	CUTOUT DIMENSIONS
SSRFR-S1	4.5	22"(w) x 331/2"(h) x 24"(d)
SSRFR-S2 w/locking door	4.5	22"(w) x 331/2"(h) x 24"(d)
SSRFR-S3 w/locking door	5.3	22"(w) x 331/2"(h) x 24"(d)
SSRFR-D1 w/locking door	5.3	25"(w) x 35"(h) x 26"(d)
SSRFR-24DR2	5.3	25"(W) x 35"(H) x 26"(D)

LIGHTED BEVERAGE CENTER


	MODEL	CUTOUT DIMENSIONS
	BADGE-SSBCL	281/4"(w) x 10"(h) x 23 3/8" (d)
1		

We recommend checking all cutout dimensions with Summerset at www.summersetgrills.com/pages/cutout-dimensions as some may have been updated.

nicolock.com	Outdoor	Dining	143

NEW WALL COLOR Graphite Pearl Blend*








A rich mixture of White, Pewter and Raven bring an intense color choice for your wall project.

TEXTURED







Adobe Blend



Bluestone*

NICOLOCK WALLS | TEXTURED



Cappuccino Blend



Chesapeake Blend*



Crab Orchard Blend

*Premium Colors

NICOLOCK WALLS | TEXTURED



Fire Island Blend



Golden Brown Blend



Granite City Blend



Lilac Blend





Mocha Blend

Mojave

NICOLOCK WALLS | TEXTURED



Oyster Blend



South Bay Blend



Travertina*




Westchester Blend



Serafina Wall | Adobe Blend and Granite City Blend

*Premium Colors

NICOLOCK WALLS | SMOOTH





Bluestone*



Charcoal



Chesapeake Blend*



Crab Orchard Blend



Golden Brown Blend




Granite City Blend



Oceanic Blue*

NICOLOCK WALLS | SMOOTH



Oyster Blend



South Bay Blend



Travertina*



Westchester Blend

NICOLOCK NICOSTONE




Autumn Cotswold



Brown



Lilac*



Bluestone





Gironde*

*Premium Colors

DISCOVER OUTDOOR LIVING | NICOSTONE



York Brown

*Premium Colors

	Adobe Blend	Autumn Blend*	Autumn Cotswold	Bayberry Blend*	Bluestone	Brown	Cappuccino Blend*	Caramel Tan*	Chamois	Charcoal	Chesapeake Blend*	Crab Orchard Blend*	Fire Island Blend	Gironde*	Golden Brown Blend	Granite City Blend	Graphite Pearl Blend*	Lilac*	Lilac Blend	Marble Blend*	Mocha	Mocha Blend	Mojave	Natural	Oceanic 5*	Oceanic Blue*	Oyster Blend*	Peconic 6*	Pennsylvania Blue**	Pewter	Raven*	Red	Salmon	South Bay Blend*	Terra Cotta Blend	Travertina*	Umber	Westchester Blend	York Brown
Alpine Collection	•						•	•			•				•	•	•		•	•		•				•	•		•					•		•		•	
Blue Ridge	•										•	•			•	•			•			•				•	•		•				H					•	
Colonial Cobble Collection	•	•		•						•		•	•		•	•											•									\square			
Cobblestone Collection		•								•			•			•																•				\square			
Diamond Paver	1									•			•			•				•																			_
Fiuggi Travertine	•										•				•	•			•	•		•				•	•		•					•		•		•	
Hertitage Series										•																				•		•							
Holland Stone	•	•		•		•			•	•		•	•		•	•				•			•				•			•	•	•	•		•	\square		•	
Plank Paver										•					•	•				•										•	•					\square		•	
Ridge Brick	•	•				•	•	•		•	•	•			•	•	•		•	•		•				•	•		•		•			•				•	
Roma I and II						•				•					•	•										•	•				•					\square		•	
Rustico Collection	•	•		•		•	•	•		•	•	•	•		•	•	•		•	•		•				•	•		•		•			•	•	•		•	
Stone Ridge Collection	•	•					•	•			•	•			•	•	•		•	•		•			•	•	•	•	•					•				•	
The Montauk										•						•											•				•					\square			
Country Collection	•														•	•											•												
Holland Stone Tumbled		•		•						•					•	•				•															•				
Olde Towne Collection	•															•											•												
Pompeii										•						•											•												
Country Circle	•			•						•		•			•	•																							
Belgium Cobble					•	•																																	
Edgestone	•														•	•																							
Old Town Flagstone Circle					•									•							•																		•
Old Town Flagstone Quartered Square					•									•							•																		•
Old Vienna with paver- shield ™		•				•			•				•		•																•						•		
Ridge Circle	•										٠					٠			•	•		•				•													
Rustico Circle	•	•		•								•	•		•	٠				•							•				•				•			•	
Sante-Euro Circle						•			•	•		•	•		•	•											•				•							•	
Wetherdale Circle		Ì			•																•																		•

A COLOR FOR EVERY PROJECT

				old	*5			end*				lend*	Blend*	pu		Blend	Blend*	end										3lue**					nd*		pue			lend	
		Adobe Blend	Autumn Blend*	Autumn Cotswold	Bayberry Blend*	Bluestone	Brown	Cappuccino Blend*	Caramel Tan*	Chamois	Charcoal	Chesapeake Blend*	Crab Orchard Blend*	Fire Island Blend	Gironde*	Golden Brown Blend	Graphite Pearl Blend*	Granite City Blend	Lilac*	Lilac Blend	Marble Blend*	Mocha	Mocha Blend	Mojave	Natural	Oceanic Blue*	Oyster Blend*	Pennsylvania Blue**	Pewter	Raven*	Red	Salmon	South Bay Blend*	Sunset Buff	Terra Cotta Blend	Travertina*	Umber	Westchester Blend	York Brown
	Checker Block®																					ĺ		ĺ	•														
_	Eco-Ridge 80mm																	•																					
nenta	Eco-Tre	•																•																				•	
Environmental	SF-Rima®															•		•																				╡	
ш	Turfstone																								•														
	Grand Flagstone					•																•																	•
	Natural Cleft Flagstone					•									•							•																	•
0	Old Town Flagstone					•									•							•																╡	•
Nicostone	Thermal Finish Flagstone					•									•							•																	•
Nice	Versailles Travertine														•						•																	1	
	Wetherdale Patio Pack					•					_				•							•																╡	•
	5" Colonial Wall	•				•						•	•	•		•		•																				•	
	6" Colonial Wall	•				•	┢	•						•		•	•			•																		•	
	Belvedere Wall					•	\square															•																	•
Valls	Claremont Wall					•																•																	•
Landscape Walls	Kodah Wall					•																•														\square			•
udsc	Mini Colonial Wall	•				•		•					•	•		•	•	•		•													•					•	
Ľ	Stonegate® Contemporary Wall	•				•					•					•	•	•								•												•	
	Verona Wall										•															•												•	
	Alta Wall																																						
	Alta Pro Wall																																						
Retaining Walls	Compac III Straight Split Wall	•												•		•		•																					
ning	Everloc™ Wall	•														•																							
Retai	Firma® Wall	•											•			•								•															
	Outcropping					•																•																	•
	Trinity [®] Wall	•														•		•																					
alls	Mountain Block					•																•																	•
Garden Walls	Serafina Wall	•				•							•	•		•	•	•									•									•		•	
Gard	Sierra Wall	•									•		•	•				•						•															
	Garden Wall										•					•																						•	

nicolock.com | Discover Outdoor Living 153

			i –	1	-	i —	1	1	<u> </u>	-		<u> </u>		<u> </u>			i	<u> </u>			i —	1		r r				— 1								—		
		Adobe Blend	Autumn Blend*	Autumn Cotswold	Bayberry Blend*	Bluestone	Brown	Cappuccino Blend*	Caramel Tan*	Chamois	Charcoal	Chesapeake Blend*	Crab Orchard Blend*	Fire Island Blend	Gironde*	Golden Brown Blend	Granite City Blend	Graphite Pearl Bend*	Lilac*	Lilac Blend	Marble Blend*	Mocha	Mocha Blend	Mojave	Natural	Oceanic Blue*	Oyster Blend*	Pennsylvania Blue**	Pewter	Raven*	Red	Salmon	South Bay Blend*	Sunset Buff	Terra Cotta Blend	Travertina*	Umber	Westchester Blend
	4x12 Fullnose	•									•			•		•	•																					
	6x12 Fullnose	•	•		•		•	•	•	•	•	•	•	•		•	•	•		•			•	•		•	•	•		•	•		•		•	•		•
	8x12 Fullnose	•									•		•	•		•	•							•														
	5" Colonial Pier Kit	•				•						•	•	•		•	•								_		•		_							•		•
	6" Corner	•				•		•				•	•	•		•	•	•		•			•				•						•			•		•
	8" Corner	•												•		•	•																					
	8″ Everloc™ Corner	•		\vdash												•	•								_													
	Belvedere Pier/Cap/Coping					•																•																
	Claremont Pier and Cap					•																•																
sda	Dimensional Coping					•																•																
Piers, Coping, Caps & Steps	Irregular Steps					•																•																
, Cap	Kodah Pier and Cap					•																•																
oping	Linear Cap						•					•					•										•											•
iers, C	Mini Colonial Pier Kit													•		•											•						•					
а.	Multi Cap													•		•	•										•											•
	Pier Caps						•																															
	Old Town Pool Coping																																					
	Rockface Multi Cap					•																•																
	Rockface Step Units					•																																
	Rockface Treads																																					
	Roma Step						•				•						•										•											•
	Stepping Stones																																					
	Stonegate* Pier and Cap	•				•					•	•				•	•	•								•	•						•					•
	Thermal/Fullnose Treads					•	•								•																							
	Verona Pier Kit	•				•					•	•	•			•	•	•								•	•									•		•
	Versailles Pool Coping																				•																	

York Brown

•

See the Outdoor Living section for color swatches of our Fire Pits, Fireplaces, Kitchens and more.



PAVER INSTALLATION

MATERIALS NEEDED

Gloves

Tape Measure

Stakes

Shovel

3 lb. Hammer

Levels

Line Level

Carpenters Square

String Line

Broom

Wheelbarrow

Pry Bar

Wire Cutters

Mason's Chisel

Markers


Screed Board

Two 1" o.d. Screed Pipes

Plate Compactor

Paver Cutter

Diamond Blade Table Saw



- A. Compacted Sub-BaseB. 4" 6" Compacted Aggregate (for Pedestrian Traffic)
- C. 8" 12" Compacted Aggregate (for Vehicular Traffic)

BEFORE YOU BEGIN


Your dealer can assist you in obtaining the necessary materials and equipment needed to complete your paving stone installation.

*Three color blends are not recommended for projects less than 500 sq.ft

Lay out your entire paver pattern prior to cutting any stones.

Find an area away from your installation to cut pavers. Concrete dust created by saw cutting pavers can stain the surface.

The use of an approved safety mask is recommended when cutting any concrete products.






1. PLAN Determine the area to be paved. Measure for square footage and sketch a diagram of the shape & pattern of paving stone desired.



2. PREPARE / EXCAVATE

Before beginning excavation, make sure there are no utility lines within the area to be paved. Excavate area to the proper depth depending on the type of traffic.




3. GRADE Establish the finish grade and slope or pitch of pavement to allow for drainage. Lay out the lines and corners with string line and stakes. Compact sub-base.





5 BASE COMPACTION

Compact the base aggregate evenly throughout the area with a mechanical plate compactor. Do not compact the base aggregate in more then 4" layers. The compacted base should conform to the contour of the finished paved area. The grade of the base aggregate should be 3" to 4" below the finished paving stone surface depending on the thickness of the paver.



7. BEDDING

Spread 1" of concrete sand evenly over the compacted base. Screed the bedding sand to a level, smooth surface using a screed board. For areas wider than the width of the screed board, use 1" conduit pipe as screed guides 4' apart. Screed sand, remove screed rails & fill in depressions with fresh sand. You should end up with a complete layer of smooth sand. Do not disturb sand bed after it has been screeded.

foundations will not need an edge restraint. Various types of edging materials can be used. Nicolock

recommends a Snap Edge edge restraint system since it is easy to install and will not rot or decay.



8. PAVER PLACEMENT

Begin placing paving stones on the screeded sand bed in the desired pattern. Hand place the paving stones with a hand tight joint. Work from the paving stone side of the installation as they are set. To achieve the best mixture of colors and blends, remove pavers from delivered bundles section by section, not layer by layer, and work from several bundles at a time. Cut pieces as needed to fill in the pattern.

FINISHING


When complete, sweep surface clean. Spread a fine jointing sand over the entire surface and broom sweep to fill all joints. Leaving excess sand on the paving stone surface, tap the paving stones into the setting bed with the mechanical plate compactor with a rubber pad. Broom sweep more sand to fill any open joints. Finally, backfill over the top edge restraint and grade. Your installation is now complete and ready for use.


4. PREPARE / EXCAVATE

Spread aggregate base uniformly throughout the entire excavated area and 8 in. beyond perimeter lines. Base aggregate material should be processed 3/4" minus gravel or crushed concrete blend.



6. EDGE RESTRAINTS Install edge restraints as required. Pavers butting against curbs or







NOTE: The following Installing procedures apply to all Nicolock retaining wall units constructed as a conventional gravity wall system.

PREPARING/EXCAVATING: Before beginning excavation, make sure there are no utility lines in the wall area. Excavate area to the proper depth. For geogrid-reinforced retaining walls or for more detailed information, consult your local distributor or contact Nicolock.


For most non-critical walls (and under favorable soil conditions) Nicolock wall units are constructed as a conventional gravity wall system. Walls up to 3 feet in height (2 ft. 6 in. for Sierra) are attainable without the need for soil reinforcement (geogrid). Recommended installation procedures should be followed to ensure the life of your wall structure.

1. SITE PREPARATION AND EXCAVATION

Excavate a trench a minimum of 6" beyond the front and back of the wall block. Dig trench 9" to 14" deep, enough to create a 6" thick leveling pad and to bury at least one whole wall block below grade. Compact the soil at the bottom of trench. Shape the slope behind wall to allow for 12" of drainage material.

2. INSTALL LEVELING PAD

Place filter fabric in trench and up the cut slope. Fill trench with clean, graded aggregate and compact.



3. PLACE BASE COURSE (FIRST ROW)


Position a level string line at the straight face of the unit to maintain alignment. Place the wall units side by side in the center of the prepared base. Bury the first course of block below grade to a depth equal to 10% of the height of the wall or a minimum of 6", whichever is greater. Level units from side to side, and front to back.

4. DRAINAGE SET-UP

Fill the space in front of wall with clean fill to grade to hold units from shifting. Place a perforated pipe behind wall on top of base for drainage. Fill any block cores and the drainage area with clean aggregate keeping filter fabric in place. Backfill soil on outer side of fabric and compact.

6. PLACE GRAVEL AND BACKFILL MATERIALS


Continue building the wall to the desired height. Backfill with clean aggregate behind each course as completed. Backfill and compact soil. Finish the wall by securing the wall cap with a suitable masonry adhesive.



*Geotextile may be necessary when the infill soil includes fine-grained sand that have the potential to infiltrate the gravel fill

Note: Illustrations shown are not for construction purpose. Please confer with your local engineer for proper placement of geogrid.

Important: Walls higher than 36" above grade, terraced walls, weak soils, and other loading conditions require special considerations in design and construction. This should be done by a qualified engineer & a professional contractor. Check with your local building department for code requirements.



5. STACKING UNITS

Place successive courses by fitting the keys and grooves onto the units in the row below (if applicable). Keep the tops of each course clean to maintain a level surface. Stack units one layer at a time in a running bond pattern (crossing joints). Utilize geogrid when the wall height is 3 ft or more or as required by the project engineer or approved design drawings.

STAIN REMOVAL

The stain removal methods suggested here are merely a guide and may not work to your satisfaction in all instances. Nicolock is not responsible for any damage caused while using theses methods. Nicolock recommends that you keep several pavers from your initial installation available to replace any pavers that become damaged or excessively stained or soiled.

ALGAE & FUNGAL GROWTHS

Apply a fungicide according to manufacturer recommendation.

BEVERAGE STAINS

Scrub the stain with hot soapy water. For stubborn stains apply a 1:10 diluted sodium hypochlorite solution (household bleach) use according to the manufacturer's recommendations.

CHEWING GUM

Chewing gum is best removed with a suitable aerosol freezing agent before scraping it off. Use according to the manufacturer's recommendations.

FRESH OIL STAINS

Soak the oil up with an absorbent cloth or paper towels. Do not wipe. Then cover the affected area with a 'dry' absorbent powder and leave for 24 hours. Repeat until the powder has absorbed all or as much of the oil as possible.

If a stain persists, apply a recommended cleaner according to the manufacturer's recommendations.

PAINT / WOOD-STAIN / VARNISH

Soak up the spillage with an absorbent cloth or paper towels. Do not wipe. The stained area should be immediately scrubbed with scouring powder and water.

The stained area should be immediately scrubbed with detergent and water. Paint removers or solvents should not be used on stains that are less than a week old, as this will increase penetration into the concrete. Scrape off as far as possible. Apply an appropriate proprietary paint remover, preferably one supplied as a thick gel. Follow the manufacturer's recommendations or contact the paint manufacturer.

WOOD PRESERVATIVES / CREOSOTE

Soak the stain with mineral spirits and scrub with a hot detergent and water. Finally rinse thoroughly with clean water, or contact the manufacturer of the preserver.

ASPHALT & EMULSIFIED ASPHALT

Chill with ice (if warm outside), scrape away & scrub the surface with scouring or abrasive powder. Rinse with water.

CUTBACK ASPHALT & ROOFING TAR

Use a soft moist putty made with talc or diatomaceous earth (available wherever pools supplies are sold.) Mix with kerosene, scrub, let dry and brush off. Repeat as needed.

CANDY, KETCHUP, MUSTARD, GREASE DRIPPINGS FROM FOOD

For stubborn stains, apply liquid detergent full strength and allow it to penetrate for 20-30 minutes. Scrub and rinse with hot water. Removal is easier if these stains are treated immediately.

CAULKING

Scrape off excess and scrub with denatured alcohol. Rinse with hot water and detergent. For acrylic latex caulk - follow guidelines for removal of latex paint.

CLAY SOIL

Scrape off dry material, scrub and rinse with hot water and strong detergent.

CREOSOTE

Apply a solution made with paint thinner and talc. Scrub and allow to dry. Scrape off, scrub with scouring powder and rinse with water.

MORTAR

Let dry but not harden and carefully remove spots with a trowel, putty knife or chisel.

LEAF, WOOD ROT OR TOBACCO STAINS

Apply household bleach diluted 10:1 with water (10 parts water) and scrub with a non-metallic stiff bristled brush.

OIL OR GREASE THAT HAS PENETRATED

Mop up any excess oil with rags. Cover the area with oil absorbent talc, (kitty litter). Diatomaceous earth can also be used. Leave it on the stain for a day, then sweep up.

PAINT

Fresh paint should be mopped up immediately with rags or paper towels by blotting. Do not wipe as this will spread the paint and extend the job of removal. If the paint is latex and water-based, soak and then scrub area with hot water, scouring powder and a non-metallic stiff brush until no more improvement is seen. Let the remaining paint dry and remove as described below.

DRIED PAINT

Scrape any excess oil-based paint, varnish or water based latex paint off the surface. Apply a commercial paint remover and let sit for 20-30 minutes. Loosen with gentle scrubbing. Do not rub the loosened paint into the surface of the pavers. Instead, blot up the loosened paint and thinner. Repeat as necessary.

TIRE SKID MARKS

Scrub black area with water, detergent and scouring powder.

ABOUT EFFLORESCENCE:

Efflorescence is a whitish, powder-like deposit that may sometimes appear on the surface of the paving stones. It may appear immediately or within a short time after installation. Left alone, normal wear and exposure to the elements will dissipate the efflorescence. Efflorescence does not affect the structural performance or durability of concrete pavers Efflorescence is a normal occurrence in all cement based products, as well as many colored paving products. Because it is a natural reaction to the proper hydration of concrete, Nicolock accepts no responsibility or liability for replacement.

If there is a need to remove the efflorescence before it naturally wears away, best results are obtained by using an efflorescence remover which is available from most mason supply dealers. Do not use muriatic acid.

If a sealer is to be applied to the paving stones, it is recommended that any presence of efflorescence be removed prior to sealer being applied. For installations over a new or existing concrete base, a cementitious setting bed, or with mortared joints, the occurrence of efflorescence is more likely. Precautions for proper drainage of the paving stones system should be taken to minimize this occurrence.

WHAT IS EFFLORESCENCE?

Efflorescence is a natural phenomenon and can occur with any cement based product, as well as other paving products. It may appear randomly and will possibly appear more pronounced on colored paving slab.

The white bloom may give the impression that the color of the paving slab is fading but, when wet, you will find that the efflorescence vanishes and the paving slab returns to its original shade. The white bloom will often return again when the paving slab dries. Be assured that efflorescence has no detrimental effect on the performance of the paving slab and will generally disappear with time.

HOW DOES EFFLORESCENCE OCCUR?

All concrete products contain cement which produces water soluble calcium oxide (lime).

Concrete paving materials contain millions of tiny invisible pores; when moisture penetrates into these pores – either from rain, dew or condensation – it dissolves part of the lime to make calcium hydroxide.

When the slab dries out, the calcium hydroxide rises to the surface and reacts with the carbon dioxide in the air, sometimes leaving a white bloom of calcium carbonate once the water has evaporated.

WILL EFFLORESCENCE DISAPPEAR NATURALLY?

Yes. The efflorescence action is arrested by carbon dioxide reacting with calcium oxide within the pores of the concrete. The efflorescence itself is then, over a period of time, either converted back to soluble salts and washed away by rain or simply disappears through the action of trafficking, snow or ice.

Once the efflorescence has disappeared naturally it does not usually recur. It is therefore not necessary to replace the paving or to take other measures against efflorescence.

HOW LONG WILL EFFLORESCENCE LAST?

This is difficult to predict as factors such as climate, location and conditions (damp/shady or open/sunny) are variables which can affect the extent of the phenomenon. However, on average, it can take from 12 months to 24 months to disappear.

FAQ

WHY DO NICOLOCK PAVERS MAKE THE BEST PAVEMENT?

Not only are Nicolock pavers beautiful, but they provide the best pavement solution in freeze/thaw conditions, when installed over a compacted aggregate base. Installation over a compacted aggregate base results in a pavement that is strong, yet flexible enough to move as the ground shifts without breaking apart, rutting or heaving. In addition, they can be "unzipped" to allow for repairs or access to utility lines. Unlike asphalt and other surfaces, pavers are virtually maintenance-free. And, by definition, concrete pavers are about 3 times stronger than regular poured concrete.

WHAT MAKES PAVER-SHIELD™ BETTER THAN THE COMPETITION?

paver-**shield**[™] is not a thin veneer of color coating. paver-**shield**[™] pavers are guaranteed to look great year after year, retaining their vibrant color and smooth texture. Products without paver-**shield**[™] may look worn and faded over time with exposed aggregate on the surface.

DOES THE COLOR GO ALL THE WAY THROUGH NICOLOCK PAVERS?

All Nicolock pavers have color throughout. Those manufactured with our exclusive paver-**shield**[™] process have an extra concentration of cement and pigment on the wear layer providing deep rich colors and a smooth, dense wear layer.

CAN I USE A PRESSURE WASHER TO CLEAN MY PATIO?

Yes – but, as always, follow the manufacturer's instructions carefully. Do not pressure wash your patio too strongly or too frequently as you may damage the surface of the paver.

CAN PAVERS BE INSTALLED OVER A POURED CONCRETE BASE?

Absolutely, provided certain steps are taken. Care must be taken so that water does not pool underneath the pavers. Drainage holes should be drilled in large slabs and filled with pea gravel and covered with landscape fabric. Edge pavers must be restrained to keep joints from opening up.

CAN I USE A SEALER ON MY PATIO?

Yes – check proprietary manufacturer's instructions and suitability for sealing concrete paver. Please note: applying sealant to paver may affect the color.

HOW DO PAVERS COMPARE WITH PATTERNED CONCRETE?

Patterned concrete pavements are slabs of concrete that are embossed with a pattern. Therefore, they are prone to the same problems with freeze/thaw cycles, namely cracking and spalling. Also, unlike Nicolock pavers, patterned concrete pavements don't allow access to underground utilities or the ability to make repairs. At virtually the same price installed per square foot, Nicolock Pavers are clearly a superior choice.

HOW DO I DETERMINE HOW MUCH STONE BASE MATERIAL AND SAND SETTING BED MATERIAL I NEED?

One half ton of modified stone or sand will cover about 100 square feet at 1" thick. Using a 10' x 10' (100 square feet) patio as an example, you would need 1/2 ton of sand for the setting bed (1" thick) and 3 tons of modified stone for the base (6" thick). You'll need about 5% more sand for the joints between the pavers. The thickness of the base material depends on the application and subgrade soil conditions (use a thicker base for poorly drained soils). As a rule of thumb, you'll need 4" to 8" of base material for walkways and patios, and 8" to 12" for driveways and parking lots.

I HAVE WHITE DEPOSITS ON MY PAVERS/WALLS, WHAT IS IT?

You are probably referring to efflorescence, a natural and common occurrence in many concrete products. Efflorescence occurs when natural salts come to the surface and leave behind a white deposit that can normally be brushed off. This is not a product defect or harmful to pavers and walls and Nicolock accepts no liability for its occurrence. It will usually weather away with time.

HOW CAN I REMOVE MOSS OR MOLD FROM MY PAVERS?

Try liquid bleach diluted in water (10 parts water to one part bleach). Be careful not to get it on plant material. Keep in mind that there is nothing that will keep moss and mold from reappearing in a shady, damp area.

WHAT IS POLYMERIC SAND AND WHAT IS ITS ADVANTAGE?

Polymeric sand is a high-tech mix of graded sand and binder, specially formulated for filling joints between pavers. When installed properly, polymeric sand will remain in the paver joints and inhibit weed growth and insect infestation.

CAN I USE NICOSTONE PAVING INSIDE MY HOUSE?

Yes – but it is preferable to seal the paving with a sealer after laying inside to protect against stains and reduce incidence of dust.

WHY DO THE PAVING STONES HAVE DARK PATCHES?

This is due to differential weathering, where the surface of the paving has cured at different rates, causing darker color variation on the paving. Generally this is exaggerated by the presence of efflorescence which, once removed, will reduce the effect of the dark patches. As with efflorescence the dark patches will generally disappear with time.

HOW OFTEN SHOULD I CLEAN MY PATIO?

Regular washing and brushing should be adequate to maintain your patio in pristine condition. However, you may wish to clean your patio using a recommended cleaner. This can enhance its appearance but it may affect long term durability and should only be used sparingly (only two or three times during the lifetime of the paving). Consult your paving supplier for advice and a suitable cleaning product.

WHAT ARE THE BENEFITS OF SEALING MY PAVERS? HOW LONG DO I NEED TO WAIT BEFORE I APPLY A SEALER?

Sealers help resist stain and may enhance the color. Some can also bind the sand in the joints to make it difficult for weeds to germinate. As a rule of thumb we generally want you to wait at least six months to allow any efflorescence to appear. Prior to the application of any sealers, the pavers must be cleaned with an appropriate product to remove dirt and efflorescence.

CAN NICOLOCK PAVERS BE USED FOR MY DRIVEWAY?

Absolutely! For residential driveways, 8" to 12" of compacted base material is recommended. A standard 2-3/8" thick paver can be used for light vehicular (cars & pickup trucks) applications. A herringbone pattern is most suitable in these situations. (Not applicable for Stone Ridge XL, Blue Ridge series and Nicostone products.)



Alpine Contemporary | South Bay Blend

FAQ

Not only do Nicolock Pavers make an attractive pool deck, but they also provide a slip-resistant walking surface. Pavers actually are better than poured concrete around pools from the standpoint that the joints will take on moisture and leave the pavement cooler under foot. Like all products that are used outdoors, lighter colors will tend to stay cooler as they reflect the sunlight. Furthermore, our Fullnose and Pool Coping Pavers are ideal for the pool's edge. Make sure the base material around the pool is well compacted before installing pavers. Safety covers can also be installed over pavers with the use of special anchors.

WILL WEEDS GROW BETWEEN MY PAVERS?

Weeds and grass between pavers occur when seeds or spores lodge in the joints between pavers. They will not grow from underneath. This can be minimized by using polymeric sand or mixing a pre-emergent granular weed killer into the joint sand. If weeds do appear, a spot vegetation killer (such as Round-UpTM) can be used and will not damage the pavers.

CAN I SHOVEL AND PLOW MY PAVERS?

Pavers can be plowed and shoveled just like asphalt, concrete and other pavement materials. In fact, snow and ice will normally melt faster because of the joints around the pavers. A plow blade with a rubber edge is recommended when needed. Do not use sharp objects to chop ice as they can damage the pavers.

WHAT SHOULD I USE TO MELT SNOW AND ICE ON MY PAVERS?

Nicolock recommends sand for slip resistance as it is the most environmentally friendly product for use on concrete products to make sure surfaces are skid and slip resistant.

If a de-icing product is used, Nicolock recommends using only NaCl (rock salt) and should be used sparingly, following the manufacturer's instructions. Once ice is loosened, remove immediately to avoid buildup of the de-icing agent.

De-icing agents of any kind are not recommended for our Nicostone line. We recommend using only sand for providing skid and slip resistance.

I'VE GOT A RAILROAD TIE WALL THAT IS ROTTING AND FALLING DOWN. What can I do?

Our segmental retaining wall systems provide an excellent solution to this problem. They are strong and will last a lifetime. Nicolock offers several different wall systems to meet your needs.

WHAT IS GEOGRID AND WHEN SHOULD IT BE USED?

As a rule of thumb, all walls over 3' high should be reinforced with geogrid. Geogrid is placed between the layers of block at different intervals to stabilize the soil behind the retaining wall and secure the wall face to the earth behind it. The height of the finished wall, soil characteristics, and the pressure on the wall caused by slopes, structures, and/or paved areas all affect the proper placement and lengths of geogrid.

WHAT IS RECONSTITUTED STONE?

Reconstituted Stone – is manufactured from the highest grade materials and will last for years. It is hand crafted, with molds taken from original natural stone for an authentic appearance. NicoStone products are a consistent thickness and is therefore easy to lay.

Colors – shades are subtle and subject to slight variations, especially highlighted in the weathered shades where many products are hand made to ensure a completely random, natural look. Colors will appear different depending upon the prevailing conditions such as sunlight, heavy shade or rain.

Therefore it is advisable to check the color and appearance of the actual product samples in dry daylight conditions before purchasing. Where possible, products should also be selected from the same production batch. Reconstituted stone will weather over time in a fashion similar to natural stone.

PAVING SLAB AND WALLSTONE COLOR

Please note that some products have a multi-color mix where the manufacturing process means that different color percentages are likely selected from multiple pallets prior to installation. Choose from three to five different packs.

Multi-colored products are produced randomly, therefore color proportions in different slabs may vary widely.

APPLICATION/SUITABILITY

Unless otherwise stated, the Nicostone materials featured in this catalog are intended for use in residential landscape projects. Nicostone decorative slabs are not suitable for driveways. The manufacturer cannot accept any liability where products have been used for any inappropriate purpose.

In the unlikely event of products reaching you in a less than satisfactory condition, please contact your local distributor directly, allowing time for the rejected product to be replaced. If a complaint is raised after laying the product, Nicostone cannot accept responsibility for any defect. **De-icing salts should not be used on NicoStone slabs.**

SIZES & JOINT WIDTHS

All dimensions quoted in this catalog are nominal and are for guidance only. Actual sizes will vary, particularly on the products designed to replicate natural stone which have features such as riven profiles and fettled edges. Where space is critical, Nicostone recommends dry laying the product to check area required.

When laying random slabs and circles, and in particular Wetherdale Paving Slabs and Old Town Flagstone Paving Slabs with their fettled edges, joint widths will depend on the slab type & laying pattern chosen and will be variable – from approximately 1/2" to 1".

HANDLING

Standard manual handling techniques should be adopted when handling products. Some products in the Nicostone range are heavy or an awkward shape to lift and it is recommended that suitable lifting equipment be used for these products. Always wear gloves and safety footwear when handling product.

If product is to be cut, always wear safety goggles and when using a high speed saw also wear suitable respiratory protection, such as a dust mask.


Before removing wrapping or banding, ensure that the products are on level ground or retained in some way to prevent them from tipping over. When removing shrink wrapping and banding use the appropriate cutting tools; also it is recommended that safety goggles are worn.


Product should always be handled with care as breakages, chipping and other damage may result from mishandling. Minor scuffing can occur due to movement in transit and will generally disappear in time. If in doubt do not install the product, consult your NicoStone Representative.

SPECIAL NOTES


All measurements are nominal. Dimensions include the joint widths when fully installed. Dimensions/height: May vary up to 1/4" due to unique manufacturing technique. Nicostone provides only general installation guidelines, climate and soil conditions may vary by region.

PATTERNS | Patterns, whether simple or complex, help to define a paved area and add your own personality to your project. The following are examples of popular patterns.






Colonial Cobble 1-1/2 Normal Eco-Ridge **Holland Stone Ridge Brick** Rustico 6x9



Country 6x9 Holland Stone **Ridge Brick** Rustico 6x9



Colonial Cobble Normal & 1-1/2 Normal Country 6x6 & 6x9 Rustico 6x6 & 6x9





LOCATIONS

 New York

 Corporate Headquarters

 612 Muncy Avenue • Lindenhurst, NY 11757

 P: 631.669.0700 • F: 631.669.0711

Nicostone by Nicolock

200 Henry Street • Lindenhurst, NY 11757 P: 631.669.0600 • F: 631.669.8052

Albany

One Mustang Drive • Cohoes, NY 12047 P: 518.888.2731 • F: 518.252.4937

New Jersey

482 Houses Corner Rd • Sparta, NJ 07871 P: 551.232.6443 • F: 973.425.5188

New Jersey Design Center 620 Cedar Swamp Road • Jackson, NJ 08527 P: 201.932.4550 • F: 732.960.9950

New England

99 Stoddard Avenue • North Haven, CT 06473 P: 203.234.2800 • F: 203.985.0381

Massachusetts

241 Francis Avenue • Mansfield, MA 02048 P: 508.298.2243 • F: 508.590.7678

Maryland

8400 Progress Court • Frederick, MD 21701 P: 301.620.0100 • F: 301.620.0007

Delaware

1000 South Market Street • Wilmington, DE 19801 P: 302.981.0986 • F: 302.691.4500

Virginia

9135 Barricade Lane • Mechanicsville, VA 23116 P: 571.332.3513 • F: 571.406.1251



CAT# 2020 04.19.50M\$5.73 | ©nicolock 2020 | all rights reserved